



STREAMLIGHT®



PROFESSIONAL-GRADE  
**ILLUMINATION TOOLS**  
MILITARY CATALOG

# LEADING THE INDUSTRY

WITH THE GREATEST VARIETY OF TACTICAL LIGHTS:



SIDEWINDER STALK®  
pgs. 4-5



SIDEWINDER®  
pg. 8



SIDEWINDER® RESCUE  
pg. 8



SIDEWINDER COMPACT® II  
pg. 9



SIDEWINDER BOOT®  
pg. 10



TLR-1 HL®  
pg. 15



TLR-1®//TLR-1's  
pg. 17



TLR-2 HL®  
pg. 18



TLR-2 HL® G  
pg. 18



TLR-7® X CONTOUR REMOTE  
pg. 26



TLR-7® HL-X USB  
pg. 27



TLR-8® A // TLR-8® A G  
pg. 29



TLR-7® SUB  
pg. 30



TLR-8® SUB // TLR-8® G SUB  
pg. 31



TLR-9®  
pg. 32



TLR-10®  
pg. 33



TLR-10® G  
pg. 33



TL-RACKER®  
pg. 43



PROTAC® RAIL MOUNT 1  
pg. 46



PROTAC® RAIL MOUNT 2  
pg. 47



PROTAC® RAIL MOUNT HL-X  
pg. 47



PROTAC® RAIL MOUNT HL-X PRO  
pg. 48



PROTAC® RAIL MOUNT HL-X LASER  
pg. 49



PROTAC® 2.0 RAIL MOUNT  
pg. 50



WEDGE®  
pg. 52



WEDGE® XT  
pg. 53



PROTAC HL® 5-X // USB  
pg. 58



PROTAC® HPL USB  
pg. 59



PROTAC HL® USB  
pg. 59



SL-B26® BATTERY PACK  
pgs. 60-61



PROTAC® 2.0  
pg. 62



SL-B50® BATTERY PACK  
pg. 63



POLYTAC® X // USB  
pg. 64



SYCLONE® SERIES  
pg. 76



FLIPMATE®  
pg. 77



BEARTRAP® 360  
pg. 78



SUPER SIEGE®  
pg. 79



THE SIEGE®  
pg. 80



SIEGE® AA  
pg. 80



PORTABLE SCENE LIGHT  
pg. 81



PORTABLE SCENE LIGHT II  
pg. 82



FIRE VULCAN® LED  
pg. 82



MICROSTREAM®  
pg. 90



MICROSTREAM® USB  
pg. 90



MACROSTREAM® USB  
pg. 91



STYLUS PRO® USB SERIES  
pg. 92



STYLUS PRO®  
pg. 92



STYLUS®  
pg. 93



STREAMLIGHT JR.® LED  
pg. 93

# STREAMLIGHT

PERFORMANCE. PERIOD.



TLR-2® // TLR-2<sup>s</sup>  
pg. 19



TLR-2<sup>G</sup>  
pg. 19



TLR-3®  
pg. 20



TLR-4®  
pg. 20



TLR-4<sup>G</sup>  
pg. 20



TLR-VIR® II  
pg. 21



TLR-6®  
pgs. 22-23



TLR-6 HL®  
pgs. 24-25



TLR-7<sup>X</sup>  
pg. 26



SL-B9® BATTERY  
PACK pg. 35



SPEEDLOCKER®  
pg. 37



TLR® RM 1  
pg. 38



TLR® RM 2  
pg. 39



TLR® RM 1  
LASER pg. 40



TLR® RM 2  
LASER pg. 40



TLR® RM 1  
LASER-G pg. 41



TLR® RM 2  
LASER-G pg. 41



TLR-1 HPL®  
pg. 42



PROTAC®  
1L-1AA pg. 54



PROTAC® 2AA  
pg. 54



PROTAC® 2L  
pg. 55



PROTAC HL®  
pg. 55



PROTAC® 2AA-X  
USB pg. 56



PROTAC® 2L-X //  
USB pg. 56



PROTAC® HL-X //  
USB pg. 57



PROTAC® 90X  
// USB pg. 57



STRION LED HL®  
// DS HL pg. 66



STRION® LED //  
DS pg. 66



STRION® 2020  
pg. 67



STRINGER® 2020  
pg. 68



STRINGER LED HL®  
// DS LED HL®  
pg. 69



STRINGER® LED  
// DS® LED  
pg. 69



STRINGER®  
COLOR-RITE®  
pg. 70



STRINGER  
SWITCHBLADE®  
pg. 74



STRION  
SWITCHBLADE®  
pg. 75



WAYPOINT®  
pg. 84



WAYPOINT® 400  
pg. 84



SURVIVOR®  
pg. 85



SURVIVOR® X  
// USB pg. 86



VANTAGE® 180 X  
pg. 88



VANTAGE®  
pg. 88



PROTAC® 2.0 HEADLAMP  
pg. 89



BANDIT®  
pg. 89



CLIPMATE® USB  
pg. 94



NANO LIGHT®  
pg. 94



POCKET MATE® USB  
pg. 95

# SIDEWINDER... THE MOST VERSATILE MILITARY LIGHTS IN THE WORLD



## SIDEWINDER STALK®

Designed to minimize the number of illuminators and beacons an operator must carry, the low-profile Sidewinder Stalk provides ultimate maneuverability. Put light where you need it with multiple mounting options and a flexible stalk to aim the beam.

Features white, multi-colored and IR LEDs along with an IR/IFF beacon.

- BATTERIES:** (1) CR123A, (1) "AA" alkaline or (1) "AA" lithium
- SIZE:** 5.51" x 0.86" x 1.81" (14 x 2.18 x 4.60 cm)
- WEIGHT:** 3.20 oz. (90.72g) with CR123A battery and Hook and loop adapter // 2.88 oz. (81.65g) with AA battery and Hook and loop adapter
- COLOR:** Coyote or Black




White, red, green, blue and IR LEDs

Thumb Screw to lock into ARC rail slot

Uses "AA" alkaline battery or CR123A lithium (both included)

Also accepts "AA" lithium batteries for extended operation in extreme temperatures

Sidewinder Stalk does not need to be removed from mounted position in order to change batteries



Rotary mode selector switch (White, red, green, blue and IR)

IR/IFF beacon

Flexible stalk to aim the beam

Push-button switch for on/off and intensity control

IR/IFF beacon switch

ITEM #	DESCRIPTION	COO	TAA
14300	Sidewinder Stalk - Includes helmet clip, CR123A & "AA" alkaline batteries – Coyote – Mailer	US	YES
14310	Sidewinder Stalk - Includes helmet clip, CR123A & "AA" alkaline batteries – Black – Mailer	US	YES
14301	Sidewinder Stalk - Includes helmet clip, Arc rail mount & assembly, CR123A & "AA" alkaline battery – Coyote – Mailer	US	YES
14311	Sidewinder Stalk - Includes helmet clip, Arc rail mount & assembly, CR123A & "AA" alkaline battery – Black – Mailer	US	YES
14302	Sidewinder Stalk - Includes helmet clip, E-Mount, CR123A & "AA" alkaline batteries – Coyote – Mailer	US	YES
14306	Sidewinder Stalk - Includes helmet clip, CR123A & "AA" alkaline batteries – Coyote – Retail Box	US	YES
14307	Sidewinder Stalk - Includes arc rail mount & assembly, CR123A & "AA" alkaline batteries – Coyote – Retail Box	US	YES
14308	Sidewinder Stalk - Includes helmet clip, E-Mount, CR123A & "AA" alkaline batteries – Coyote – Retail Box	US	YES

**HIGH (100%) OUTPUT - CR123A**

	WHITE LED	IR LED	RED LED	BLUE LED	GREEN LED	3535 IFF IR LED
<b>LUMENS:</b>	76	5.0 lmW/sr (min) radiant intensity	9	8	20	5.0 lmW/sr (min) radiant intensity
<b>DISTANCE:</b>	28m	---	7m	8m	12m	---
<b>RUN TIME:</b>	5.6h	32h	19h	13h	13h	21h

**HIGH (100%) OUTPUT - AA LITHIUM/ALKALINE**

	WHITE LED	IR LED	RED LED	BLUE LED	GREEN LED	3535 IFF IR LED
<b>LUMENS:</b>	57	5.0 lmW/sr (min) radiant intensity	9	8	20	5.0 lmW/sr (min) radiant intensity
<b>DISTANCE:</b>	23m	---	7m	8m	12m	---
<b>RUN TIME:</b>	6h (lith) 3.8h (alk)	33h (lith) 20h (alk)	19h (lith) 10h (alk)	13h (lith) 6h (alk)	13h (lith) 5h (alk)	32h (lith) 19h (alk)



**SIDEWINDER STALK BATTERY RUN TIME**

CR123A LITHIUM BATTERY				
LED	LOW	MEDIUM	HIGH	STROBE
<b>WHITE</b>	95 hrs	15 hrs	5.6 hrs	11 hrs
<b>RED</b>	112 hrs	36 hrs	19 hrs	34 hrs
<b>GREEN</b>	80 hrs	27 hrs	13 hrs	25 hrs
<b>BLUE</b>	80 hrs	27 hrs	13 hrs	25 hrs
<b>IR</b>	174 hrs	57 hrs	32 hrs	61 hrs
<b>IR W/ IFF BEACON</b>	150 hrs	40 hrs	21 hrs	43 hrs
"AA" LITHIUM / ALKALINE BATTERY				
<b>WHITE</b>	79 hrs (lith) 66 hrs (alk)	16 hrs (lith) 8 hrs (alk)	6 hrs (lith) 3.8 hrs (alk)	11 hrs (lith) 5.5 hrs (alk)
<b>RED</b>	109 hrs (lith) 85 hrs (alk)	36 hrs (lith) 24 hrs (alk)	19 hrs (lith) 10 hrs (alk)	36 hrs (lith) 25 hrs (alk)
<b>GREEN</b>	84 hrs (lith) 55 hrs (alk)	26 hrs (lith) 15 hrs (alk)	13 hrs (lith) 5 hrs (alk)	23 hrs (lith) 17 hrs (alk)
<b>BLUE</b>	77 hrs (lith) 61 hrs (alk)	25 hrs (lith) 16 hrs (alk)	13 hrs (lith) 6 hrs (alk)	25 hrs (lith) 18 hrs (alk)
<b>IR</b>	173 hrs (lith) 145 hrs (alk)	55 hrs (lith) 39 hrs (alk)	33 hrs (lith) 20 hrs (alk)	60 hrs (lith) 41 hrs (alk)
<b>IR W/ IFF BEACON</b>	187 hrs (lith) 115 hrs (alk)	51 hrs (lith) 38 hrs (alk)	32 hrs (lith) 19 hrs (alk)	47 hrs (lith) 35 hrs (alk)

**STREAMLIGHT**  
**SIDEWINDER SERIES**



**The Sidewinder Stalk can be configured to mount on any type of combat, vehicle crew or aviation helmet system and/or MOLLE vest platform, or be directly attached to the brim of a patrol cap.**

**#14303 - Sidewinder Stalk Helmet Clip**  
Durable belt/clothing clip with integral helmet mount features



**#14304 - Sidewinder Stalk Arc Rail Clip**  
ARC Rail™ Clip



**#14305 - Sidewinder Stalk Arc Rail Mount**  
Hook and loop adapter plate



Securely attaches to MOLLE



# STREAMLIGHT SIDEWINDER SERIES

## SIDEWINDER®

Meets a wide variety of hands-free illumination requirements with various color LEDs at different outputs. 185° tilting head and belt/web clip for multiple positioning/aiming of light. Designed for easy selection of light modes when in the field and when wearing gloves. IPX7-rated; waterproof to 1m for 30 minutes. 3 meter impact-resistance tested. O-ring and gasket-sealed for waterproof operation. Meets MIL-STD-810F, METHOD 512.4.

**BATTERY:** (2) "AA" alkaline or "AA" lithium for extended operation in extreme temperatures (-40°F to +150°F)  
**SIZE:** 2.34" x 1.08" x 4.65" (4.94 x 2.74 x 11.81 cm)  
**WEIGHT:** 4.38 oz. (124g) w/lithium // 5.02 oz. (142g) w/Alkaline  
**COLOR:** Coyote

	HIGH
<b>LUMENS:</b>	55
<b>CANDELA:</b>	1,175
<b>DISTANCE:</b>	69m
<b>RUN TIME:</b>	5.5h



ITEM #	NSN/MSC	DESCRIPTION	COO	TAA
<b>MILITARY MODEL [WHITE, RED, BLUE, IR LEADS]</b>				
14000	6230-01-556-0487	Sidewinder Military - Includes (2) "AA" alkaline batteries - Clam	US	YES
14027	6230-01-571-8752	Sidewinder Military - Includes helmet mount & (2) "AA" alkaline batteries - Clam	US	YES
14031	--	Sidewinder Military - Includes E-mount & (2) "AA" alkaline batteries - Clam	US	YES
<b>AVIATION MODEL [WHITE, GREEN, BLUE, IR LEADS]</b>				
14008	--	Sidewinder Aviation - Includes (2) "AA" alkaline batteries - Clam	US	YES
14024	6230-01-527-6216	Sidewinder Aviation - Includes MOLLE retainer and (2) "AA" alkaline batteries - Box	US	YES

SIDEWINDER LIGHT OUTPUT & BATTERY RUN TIME						
LED	Light Output	Low 5% Output	Medium 1 25% Output	Medium 2 60% Output	High 100% Output	Strobe 100% Output
White	55 Lumens	100 hrs+	45 hrs	11 hrs	5.5 hrs	10 hrs
IR	25mW/sr [min] radiant intensity	200 hrs+	140 hrs	60 hrs	24 hrs	40 hrs
Red	1 Lumen	200 hrs+	140 hrs	60 hrs	24 hrs	40 hrs
Blue	1.8 Lumens	150 hrs+	100 hrs	35 hrs	16 hrs	30 hrs
Green	4.5 Lumens	150 hrs+	100 hrs	35 hrs	16 hrs	30 hrs

All run time to 10% of initial output level. Illumination output electronically regulated.

## SIDEWINDER® RESCUE

PM AIR WARRIOR APPROVED

A lightweight hands-free lighting tool with four different color LEDs, each with varying intensities for a wide variety of tasks. It features a flashing beacon that coupled with the "Slide-in-Place" diffuser, projects omni-directional light to signal for help. The integrated diffuser allows you to go from tight, focused beam to wide, soft beam. Accepts either two "AA" Alkaline or two "AA" lithium batteries for maximum versatility in the field. IPX7-rated; waterproof to 1m for 30 minutes.

**BATTERY:** (2) "AA" alkaline or "AA" lithium for extended operation in extreme temperatures (-40°F to +150°F)  
**SIZE:** 2.34" x 1.08" x 4.65" (4.94 x 2.74 x 11.81 cm)  
**WEIGHT:** 4.38 oz. (124g) w/lithium // 5.02 oz. (142g) w/alkaline  
**COLOR:** Coyote

ITEM #	NSN/MCN	DESCRIPTION	COO	TAA
<b>Rescue Model [WHITE, GREEN, BLUE, IR LEADS with diffuser]</b>				
14065	6230-01-581-2486	Sidewinder Rescue Kit - Includes MOLLE retainer, paracord & (2) "AA" alkaline batteries - Box	US	YES
14069	--	Sidewinder Rescue Kit - Includes MOLLE retainer, paracord & (2) "AA" alkaline batteries - Clam	US	YES
14067	--	Sidewinder Rescue - Includes (2) "AA" alkaline batteries - Clam	US	YES



"Slide-in-Place" diffuser can be used with any LED color for omni-directional light

Aluminum plate provides flat surface to adhere Velcro® for attaching to helmet

Cord attachment for paracord lanyard, which provides extra security from loss of light and allows it to be worn around the neck

Securely attaches to MOLLE or other straps using MOLLE retainer



## SIDEWINDER COMPACT® II

Extremely versatile lighting tool with white light and a variety of color LEDs for multiple tasks. Fits in the palm of your hand, or clips to MOLLE vest, belt, hat brim or pocket. Helmet mount also available. Rotates 185° for easy aiming of light. Unbreakable, scratch-resistant lens. Special design for easy operation even when wearing heavy gloves. IPX7-rated; rated waterproof to 1m for 30 minutes. 3 meter impact-resistance tested. O-ring and gasket-sealed for waterproof operation. Meets MIL-STD-810F, METHOD 512.4.

**BATTERY:** (1) "CR123A" lithium, (1) "AA" alkaline, or (1) "AA" lithium

**SIZE:** 3" x 1.07" x 2.04" (7.62 x 2.72 x 5.21 cm)

**WEIGHT:** 2.4 oz. (68g) // 3.3 oz. (94g) w/Helmet Mount

**COLOR:** Coyote



**Military Model**

- White LED
- Blue LED
- IR/IFF LED
- Red LED

	HIGH CR123A	HIGH "AA" LITHIUM	HIGH "AA" ALKALINE
<b>LUMENS:</b>	55	47	47
<b>CANDELA:</b>	1,175	1,000	1,000
<b>DISTANCE:</b>	69m	63m	63m
<b>RUN TIME:</b>	6h	6h	2h



NVG Mount - Aviation



**Aviation Model**

- White LED
- Blue LED
- IR/IFF LED
- Green LED

**Rescue Model**



ITEM #	NSN/MCN	DESCRIPTION	COO	TAA
<b>MILITARY MODEL [WHITE, RED, BLUE, IR LEADS]</b>				
14512	---	Sidewinder Compact II Military - Includes helmet mount, headstrap and (1) CR123A lithium battery - Clam	US	YES
14513	6230-01-613-4312	Sidewinder Compact II Military - Includes E-mount, headstrap and (1) CR123A lithium battery - Box	US	YES
14515	---	Sidewinder Compact II Military - Includes NVG mount (works w/ DoD, NATO & ISAF combat helmets) and CR123A battery - Box	US	YES
<b>AVIATION MODEL [WHITE, GREEN, BLUE, IR LEADS]</b>				
14531	---	Sidewinder Compact II Aviation - Includes rail mount, headstrap and (1) CR123A lithium battery - Clam	US	YES
14533	6230-01-626-6789	Sidewinder Compact II Aviation - Includes NVG mount (works w/ HGU-84 rotary wing aircrew helmet) & "AA" Alkaline battery - Box	US	YES
<b>RESCUE MODEL [WHITE, GREEN, BLUE, IR LEADS WITH DIFFUSER]</b>				
14534	---	Sidewinder Compact II Rescue - Includes (1) "AA" Alkaline & CR123A battery - Box	US	YES

**SIDEWINDER BOOT®**

	HIGH	LOW
<b>LUMENS:</b>	55	7
<b>CANDELA:</b>	1,000	140
<b>DISTANCE:</b>	63m	24m
<b>RUN TIME:</b>	8h	90h

The Sidewinder Boot is the standard light for boot camp, recruit/basic training and wherever extra military instruction occurs. It's a durable hands-free task light that features a high-impact, super-tough, polymer case that offers exceptional durability and weather resistance. It's IPX7-rated and 1m drop tested and includes an integrated red filter that slides into place when needed.

**BATTERY:** (2) "AA" Alkaline; also accepts "AA" lithium  
**SIZE:** 1.86" x 0.96" x 4.29" (4.72 x 2.44 x 10.9 cm)  
**WEIGHT:** 3.52 oz. (100g) w/alkaline // 2.88 oz. (82g) w/lithium  
**COLOR:** Coyote



ITEM #	DESCRIPTION
14975	Sidewinder Boot - Includes (2) "AA" alkaline batteries



**SIDEWINDER ACCESSORIES**

DESCRIPTION	SIDEWINDER	SIDEWINDER COMPACT II	SIDEWINDER STALK	SIDEWINDER BOOT
Helmet Clip - Black 	-	-	14303	-
Arc Rail Clip - Coyote 	-	-	14304	-
Hook and Loop Adapter Plate - Coyote 	-	-	14305	-
Helmet Mount - Coyote 	14055	14055	14055	14055
Rail Mount for Helmet - Coyote 	14057	14057	14057	14057
	NSN-8470-01-633-3396			
Hook and Loop Mount 	14073	14073	14073	14073
Contour Arc Rail Mount 	14114	14114	14114	14114
Night Vision Goggle Mount - Tactical (works with DoD, NATO, & ISAF combat helmets) 	14155	14155	14155	14155
Night Vision Goggle Mount - Aviation (works with HGU-84 rotary wing aircrew helmets) 	14135	14135	14135	14135
Safety Wand - Glow in the dark 	14902	14902	-	-
Elastic Headstrap 	-	14059	-	14059
E-Mount (ACH, ECH, MICH, LWH compatible) 	14136	14136	14136	14136
	NSN-5340-01-641-3930			
E-Mount (Includes E-Mount, MOLLE Retainer and paracord) 	14137	14137	-	14137
Paracord 	14138	14138	-	14138
Sidewinder Rescue Kit (Includes MOLLE Retainer and paracord) 	14139	14139	-	14139
Helmet Mount Kit - Helmet Mount, Headstrap, and MOLLE plate 	14112	14112	-	14112
Rail Mount Kit - Rail Mount, Headstrap and MOLLE plate 	14113	14113	-	14113
MOLLE Retainer Replacement 	14030	-	-	-
CR123A Batteries 	2 PK - 85175 // 6 PK - 85180 12 PK - 85177 // 400 PK - 8517			-

## LIGHT ONLY

### COMPACT & FULL FRAME PISTOLS UNIVERSAL RAIL MOUNT MODELS



TLR-1 HL®



TLR-1® //  
TLR-1s®



TLR-3®



TLR-7® X



TLR-7® X  
CONTOUR REMOTE



TLR-7® HL-X USB



TLR-9®

### SUBCOMPACT & COMPACT PISTOLS TRIGGER GUARD & RAIL MOUNT MODELS



TLR-6® NON-LASER



TLR-7® X



TLR-7® HL-X USB



TLR-7® sub

### LONG GUN/AR SHOTGUN FOREND & RAIL MOUNT MODELS



TL-RACKER®



TLR® RM 1



TLR® RM 2



PROTAC® RAIL  
MOUNT 1



PROTAC® RAIL  
MOUNT 2



PROTAC® RAIL  
MOUNT HL-X



PROTAC® RAIL  
MOUNT HL-X PRO



PROTAC® 2.0  
RAIL MOUNT



TLR-1 HL®  
[Long Gun Kit]



TLR-1 HPL®  
[Long Gun Kit]

## LIGHT/LASER COMBO

### COMPACT & FULL FRAME PISTOLS

#### UNIVERSAL RAIL MOUNT MODELS



TLR-2<sup>®</sup> // TLR-2<sup>s</sup>



TLR-2 HL<sup>®</sup>



TLR-2<sup>®</sup> G // TLR-2 HL<sup>®</sup> G



TLR-8<sup>®</sup>A



TLR-8<sup>®</sup>A G



TLR-10<sup>®</sup> // TLR-10<sup>®</sup> G

### SUBCOMPACT & COMPACT PISTOLS

#### TRIGGER GUARD & RAIL MOUNT MODELS



TLR-4<sup>®</sup> // TLR-4<sup>®</sup> G



TLR-6<sup>®</sup>



TLR-6 HL<sup>®</sup> //  
TLR-6 HL<sup>®</sup> G



TLR-8<sup>®</sup>A



TLR-8<sup>®</sup>A G



TLR-8<sup>®</sup> sub //  
TLR-8<sup>®</sup> G sub

### LONG GUN/AR

#### RAIL MOUNT MODELS



TLR-2<sup>®</sup> // TLR-2<sup>s</sup>



TLR-2 HL<sup>®</sup>



TLR-2 HL<sup>®</sup> G



TLR<sup>®</sup> RM 1 LASER  
RED // GREEN



TLR<sup>®</sup> RM 2 LASER  
RED // GREEN



PROTAC<sup>®</sup> RAIL MOUNT  
HL-X LASER

### SPECIALTY/IR

#### LONG GUN/AR & FULL FRAME PISTOLS



TLR-VIR<sup>®</sup> II




It can be difficult to choose the right weapon-mounted light for your specific gun and application. We want to make the process easier. That's why we designed the TLR Fit Guide to make it easy for you to select the right light for your weapon.

SCAN OR CLICK THE QR CODE TO VIEW OUR TLR FIT GUIDE

**Understanding Streamlight Gun Light Beam Patterns**

Having the right flashlight that meets your lighting needs is important. That's one of the reasons Streamlight developed three series of lights: Tradition, High Lumen (HL) and High Performance High Lumen (HPL). Each series offers a different balance of features and can be used for a variety of applications.



We understand it can sometimes be difficult to determine which lights work best for a variety of applications. When choosing a flashlight, keep the following in mind:

**Tradition Series:** Meant for general, multi-purpose use, these lights are designed for the broadest range of lighting applications at the best value.

Performance Characteristics	Examples of Available Products
<ul style="list-style-type: none"> <li>• Optimal balance of candela and lumens - the beam pattern most people expect out of a quality flashlight</li> <li>• Very good all-around use, broadest range of lighting applications</li> <li>• Good focus and arc/periphery light</li> <li>• Longest regulated run times</li> <li>• The best value</li> </ul>	<ul style="list-style-type: none"> <li>• TLR-1®/TLR-1®s</li> <li>• TLR-2®/TLR-2®s</li> <li>• TLR-3®</li> <li>• TLR-4®</li> <li>• TLR-6®</li> <li>• TLR-7® X</li> <li>• TLR-7® sub</li> <li>• TLR-7® X Contour Remote</li> <li>• TLR-8®A/TLR-8® A G</li> <li>• TLR-8® sub/TLR-8® G sub</li> <li>• TLR-9®</li> <li>• TLR-10®/TLR-10® G</li> <li>• ProTac® Rail Mount 1</li> <li>• ProTac® Rail Mount 2</li> </ul>

**High Lumen (HL):** Gives you maximum illumination, providing full situational awareness by delivering extraordinary brightness in a wide beam pattern. These lights are ideal for smaller areas where you need a lot of light, but not an exceptionally long reach.

Performance Characteristics	Examples of Available Products
<ul style="list-style-type: none"> <li>• High lumen beam</li> <li>• Delivers maximum illumination - a broader beam pattern with a wider center spot</li> <li>• Provides a good level of candela</li> <li>• Ideal for room search, illuminating an entire vehicle</li> </ul>	<ul style="list-style-type: none"> <li>• TLR-1 HL®</li> <li>• TLR-2 HL®/TLR-2 HL® G</li> <li>• TLR-6 HL®/TLR-6 HL® G</li> <li>• ProTac® Rail Mount HL-X</li> <li>• ProTac® Rail Mount HL-X Pro</li> <li>• ProTac® Rail Mount HL-X Laser</li> <li>• ProTac® 2.0 Rail Mount</li> </ul>

**High Performance High Lumen (HPL):** A good choice for down-range applications requiring optimal beam distance, as these flashlights throw light a long distance and feature a higher lumen output.

Performance Characteristics	Examples of Available Products
<ul style="list-style-type: none"> <li>• High-candela beam</li> <li>• Tight focused center spot for greater down-range light</li> <li>• Sheds a bright peripheral beam</li> <li>• More light on your target at a distance</li> </ul>	<ul style="list-style-type: none"> <li>• TLR-1 HPL®</li> <li>• TLR® RM 1/TLR® RM 1 Laser</li> <li>• TLR® RM 2/TLR® RM 2 Laser</li> <li>• TLR-7® HL-X USB</li> </ul>

**TLR-1 HL®**  
WHITE LIGHT ILLUMINATOR



**[(STROBE)]**

Double tap switch to activate

This versatile tactical light fits handguns and long-guns, and you can switch from one to the other in seconds. Its wide peripheral beam lets you see what's all around you, including what's lurking in corners. Includes a strobe for signaling/disorienting. Unbreakable, scratch-resistant, gasket-sealed lens. Impact resistant. Easy, fast battery installation/replacement. IPX7-rated; waterproof to 1m for 30 minutes.

**BATTERY:** (2) CR123A lithium  
**SIZE:** 3.39" x 1.47" x 1.44" (8.61 x 3.73 x 3.65 cm)  
**WEIGHT:** 4.32 oz. (122.5g)  
**COLOR:** Black, Flat Dark Earth or Flat Dark Earth Brown

<b>LUMENS:</b>	1,000
<b>CANDELA:</b>	20,000
<b>DISTANCE:</b>	283m
<b>RUN TIME:</b>	1.5h



Available in Black, Flat Dark Earth and Flat Dark Earth Brown

ITEM #	DESCRIPTION	COO	TAA
69260	TLR-1 HL - Includes rail locating keys for use with GLOCK® style, 1913 Picatinny, Smith & Wesson® 99/TSW, SIG SAUER P320® and Beretta® 90-TWO and lithium batteries – Black	US	YES
69266	TLR-1 HL - Includes rail locating keys for use with GLOCK® style, 1913 Picatinny, Smith & Wesson® 99/TSW, SIG SAUER P320® and Beretta® 90-TWO and lithium batteries – Flat Dark Earth	US	YES
69267	TLR-1 HL - Includes rail locating keys for use with GLOCK® style, 1913 Picatinny, Smith & Wesson® 99/TSW, SIG SAUER P320® and Beretta® 90-TWO and lithium batteries – Flat Dark Earth Brown	US	YES
69262	TLR-1 HL - Long Gun Kit Includes Safe off remote door switch, remote pressure switch, mounting clips, standard door switch and lithium batteries – Black	US	YES
69888	TLR-1 HL - Long Gun Kit Includes safe off remote door switch, remote pressure switch, mounting clips, standard door switch and lithium batteries – Flat Dark Earth	US	YES
69889	TLR-1 HL - Dual Remote Kit Includes dual remote pressure switch, "safe off" door switch, mounting clips and lithium batteries – Black	US	YES



TLR-1 HL Long Gun Kit



TLR-1 HL Dual Remote Kit







## TLR-1® // TLR-1® s

WHITE LIGHT ILLUMINATOR

Intensely bright, durable, tactical light available in standard or strobe. Securely fits a broad range of weapons. Produces a concentrated beam with optimum peripheral illumination. Mounts directly to handguns with GLOCK® style rails and to all MIL-STD-1913 (Picatinny) rails. IPX7-rated; waterproof to 1m for 30 minutes. Impact resistant. Strobe mode (TLR-1 s only) can be disabled.

**BATTERY:** (2) CR123A lithium

**SIZE:** 3.39" x 1.47" x 1.44" (8.61 x 3.73 x 3.65 cm)

**WEIGHT:** 4.18 oz. (118.6g)

**COLOR:** Black

<b>LUMENS:</b>	300
<b>CANDELA:</b>	12,000
<b>RUN TIME:</b>	2.5h



**[(STROBE)]**

Double tap  
switch to activate

ITEM #	NSN/MCN	DESCRIPTION	COO	TAA
69110	1005-01-525-2118	TLR-1 – Includes rail locating keys for use with GLOCK® style, 1913 Picatinny, Smith & Wesson® 99/TSW, SIG SAUER P320® and Beretta® 90-TWO and lithium batteries	US	YES
69210	6230-01-601-5130	TLR-1 s – Includes rail locating keys for use with GLOCK® style, 1913 Picatinny, Smith & Wesson® 99/TSW, SIG SAUER P320® and Beretta® 90-TWO and lithium batteries	US	YES

**TLR-2 HL<sup>®</sup>**

WHITE LIGHT ILLUMINATOR / RED LASER



This versatile tactical light fits handguns and long-guns, and you can switch from one to the other in seconds. Its wide peripheral beam lets you see what's all around you, including what's lurking in corners. Includes a strobe for signaling/disorienting. Unbreakable, scratch-resistant, gasket-sealed lens. Impact resistant. Easy, fast battery installation/replacement. IPX4-rated; water-resistant and features a 640-660nm red laser.



**[(STROBE)]**

Double tap switch to activate

**BATTERY:** (2) CR123A lithium  
**SIZE:** 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm)  
**WEIGHT:** 4.88 oz. (138.4g)  
**COLOR:** Black

<b>LUMENS:</b>	1,000
<b>CANDELA:</b>	20,000
<b>DISTANCE:</b>	283m
<b>RUN TIME:</b>	1.5h
LASER MODE: RUNS 45 HOURS	

ITEM #	NSN/MCN	DESCRIPTION	COO	TAA
69261	6920-01-661-9705	TLR-2 HL - Includes Rail locating keys for use with GLOCK <sup>®</sup> style, 1913 Picatinny, Smith & Wesson <sup>®</sup> 99/TSW, SIG SAUER P320 <sup>®</sup> and Beretta <sup>®</sup> 90-TWO and lithium batteries	US	YES

**TLR-2 HL<sup>®</sup> G**

WHITE LIGHT ILLUMINATOR / GREEN LASER



Features a highly visible (even in daylight) green laser that assists in target acquisition. Its wide peripheral beam lets you see what's all around you, including what's lurking in corners. Includes a strobe for signaling/disorienting. Unbreakable, scratch-resistant, gasket-sealed lens. Impact resistant. Easy, fast battery installation/replacement. IPX4-rated; water-resistant and features a 510-530nm green laser.



**[(STROBE)]**

Double tap switch to activate

**BATTERY:** (2) CR123A lithium  
**SIZE:** 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm)  
**WEIGHT:** 4.88 oz. (138.4g)  
**COLOR:** Black

<b>LUMENS:</b>	1,000
<b>CANDELA:</b>	20,000
<b>DISTANCE:</b>	283m
<b>RUN TIME:</b>	1.5h
LASER MODE: RUNS 17 HOURS	

ITEM #	NSN/MCN	DESCRIPTION	COO	TAA
69265	6230-01-659-3699	TLR-2 HL G - Includes rail locating keys for use with GLOCK <sup>®</sup> style, 1913 Picatinny, Smith & Wesson <sup>®</sup> 99/TSW, SIG SAUER P320 <sup>®</sup> and Beretta <sup>®</sup> 90-TWO and lithium batteries	US	YES





**TLR-2® // TLR-2®s**

**WHITE LIGHT ILLUMINATOR / RED LASER**

Intensely bright, durable, tactical light securely fits a broad range of weapons. Produces a concentrated beam with optimum peripheral illumination. Features an integrated 650-660nm red laser. Mounts directly to handguns with GLOCK® style rails and to all MIL-STD-1913 (Picatinny) rails. IPX4-rated; water-resistant. Impact resistant. Strobe mode (TLR-2s only) can be disabled.

**BATTERY:** (2) CR123A lithium  
**SIZE:** 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm)  
**WEIGHT:** 4.72 oz. (133.8g)  
**COLOR:** Black

<b>LUMENS:</b>	300
<b>CANDELA:</b>	12,000
<b>RUN TIME:</b>	2.5h
LASER MODE: RUNS 48 HOURS	



ITEM #	NSN/MCN	DESCRIPTION	COO	TAA
69120	6230-01-544-1663	TLR-2 – Includes rail locating keys for use with GLOCK® style, 1913 Picatinny, Smith & Wesson® 99/TSW, SIG SAUER P320® and Beretta® 90-TWO and lithium batteries	US	YES
69230	6230-01-601-5128	TLR-2s – Includes rail locating keys for use with GLOCK® style, 1913 Picatinny, Smith & Wesson® 99/TSW, SIG SAUER P320® and Beretta® 90-TWO and lithium batteries	US	YES

**[(STROBE)]**

Double tap switch to activate

**TLR-2® G**

**WHITE LIGHT ILLUMINATOR / GREEN LASER**

Features a highly visible (even in daylight) 510-530nm green laser that assists in target acquisition. Mounts directly to handguns with GLOCK® style rails and to all MIL-STD-1913 (Picatinny) rails. IPX4-rated; water-resistant. Strobe can be disabled.

**BATTERY:** (2) CR123A lithium  
**SIZE:** 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm)  
**WEIGHT:** 4.72 oz. (133.8g)  
**COLOR:** Black

<b>LUMENS:</b>	300
<b>CANDELA:</b>	12,000
<b>RUN TIME:</b>	2.5h
LASER MODE: RUNS 17 HOURS	



**[(STROBE)]**

Double tap switch to activate

ITEM #	NSN/MCN	DESCRIPTION	COO	TAA
69250	1005-01-633-4225	TLR-2 G – Includes rail locating keys for use with GLOCK® style, 1913 Picatinny, Smith & Wesson® 99/TSW, SIG SAUER P320® and Beretta® 90-TWO and lithium batteries	US	YES

**TLR-3<sup>®</sup>**

**WHITE LIGHT ILLUMINATOR**

Lightweight and powerful, this light is designed for sub-compact and compact weapons, yet it fits the broadest array of handguns – up to full size. Operates in extreme temperatures. Impact-resistant polymer construction with durable anodized aluminum facecap. IPX7-rated; waterproof to 1m for 30 minutes.

**BATTERY:** (2) CR2 lithium  
**SIZE:** 2.71" x 1.18" x 1.51" (6.88 x 3.00 x 3.84 cm)  
**WEIGHT:** 2.32 oz. (65.8g)  
**COLOR:** Black

<b>LUMENS:</b>	170
<b>CANDELA:</b>	3,300
<b>DISTANCE:</b>	115m
<b>RUN TIME:</b>	1.5h



ITEM #	DESCRIPTION	COO	TAA
69220	TLR-3 - Includes rail locating keys and CR2 lithium battery	US	YES
69221	TLR-3 H&K USP Compact - Includes CR2 lithium battery	US	YES
69222	TLR-3 H&K USP Full-Size - Includes CR2 lithium battery	US	YES

**TLR-4<sup>®</sup>**

**WHITE LIGHT ILLUMINATOR / RED LASER**

Designed for sub-compact and compact weapons, this white light illuminator features an integrated 640-660nm red aiming laser. Operates in extreme temperatures. Impact-resistant polymer body; anodized aluminum facecap. IPX4-rated; water-resistant.

**BATTERY:** (1) CR2 lithium  
**SIZE:** 2.73" x 1.20" x 1.99" (6.93 x 3.05 x 5.05 cm)  
**WEIGHT:** 2.81 oz. (79.7g)  
**COLOR:** Black

<b>LUMENS:</b>	170
<b>CANDELA:</b>	3,300
<b>DISTANCE:</b>	115m
<b>RUN TIME:</b>	1.5h
LASER MODE: RUNS 15 HOURS	



ITEM #	DESCRIPTION	COO	TAA
69240	TLR-4 - Includes rail locating keys for use with Picatinny or Glock® style rails and CR2 lithium battery	US	YES
69241	TLR-4 H&K USP Compact - Includes CR2 lithium battery	US	YES
69242	TLR-4 H&K USP Full-Size - Includes CR2 lithium battery	US	YES

**TLR-4<sup>®</sup> G**

**WHITE LIGHT ILLUMINATOR / GREEN LASER**

Designed for sub-compact and compact weapons, this white light illuminator features an integrated 510-530nm green laser that can be seen even in daylight. Impact-resistant polymer body; anodized aluminum face cap. IPX4-rated; rated water-resistant.

**BATTERY:** (1) CR2 lithium  
**SIZE:** 2.73" x 1.20" x 1.99" (6.93 x 3.05 x 5.05 cm)  
**WEIGHT:** 2.81 oz. (79.7g)  
**COLOR:** Black

<b>LUMENS:</b>	160
<b>CANDELA:</b>	3,200
<b>DISTANCE:</b>	113m
<b>RUN TIME:</b>	1.75h LED ONLY
<b>RUN TIME:</b>	1.25h LED + LASER
LASER MODE: RUNS 4 HOURS	



ITEM #	DESCRIPTION	COO	TAA
69245	TLR-4G - Includes rail locating keys for use with Picatinny or Glock® style rails and CR2 lithium battery	US	YES
69246	TLR-4G H&K USP Compact - Includes CR2 lithium battery	US	YES
69247	TLR-4G H&K USP Full-Size - Includes CR2 lithium battery	US	YES



## TLR-VIR® II

WHITE LIGHT ILLUMINATOR / IR ILLUMINATOR & IR LASER COMBO

<b>LUMENS:</b>	300
<b>CANDELA:</b>	5,000
<b>DISTANCE:</b>	600mW/sr
<b>VISIBLE RUN TIME:</b>	1.5h
<b>IR RUN TIME:</b>	12h

Designed to be used with a pistol or long gun. Features a White LED Illuminator and Combo IR Illuminator/IR Laser. Has a seamless design so you can easily switch from white light to IR all while keeping your eyes on the target or the threat. Class 1 eye safe IR Laser, 850 nm, output power less than 0.8mW, with 3 mrad adjustment increment markings and tactile indicator on housing identifying IR Illumination position. IPX7-rated; waterproof to 1m for 30 minutes.



**[(STROBE)]**  
Double tap  
switch to activate



**BATTERY:** (1) CR123A lithium  
**SIZE:** 3.3" x 1.45" x 1.4" (8.39 x 3.69 x 3.56 cm)  
**WEIGHT:** 3.82 oz. (108g) with batteries  
**COLORS:** Coyote or Black



ITEM #	DESCRIPTION	COO	TAA
69191	TLR-VIR II - Visible LED/IR illuminator/IR laser – Includes rail locating keys and CR123A lithium battery – Coyote	US	YES
69192	TLR-VIR II - Visible LED/IR illuminator/IR laser – Includes rail locating keys and CR123A lithium battery – Black	US	YES



# TLR-6<sup>®</sup>

## ULTRA-COMPACT LIGHTS FOR COMPACT, SUBCOMPACT & CONCEALED CARRY WEAPONS

### TLR-6<sup>®</sup> RAIL MOUNT

Designed to securely attach to the rail and the trigger guard of GLOCK<sup>®</sup> compact railed handguns, SIG SAUER<sup>®</sup>, Smith and Wesson<sup>®</sup> M&P<sup>®</sup> standard and compact railed handguns. The compact TLR-6 rail mount weapon light with LED and integrated red aiming laser features tool-less battery replacement without removal from the weapon or the need to re-sight the laser. The light provides 1 hour of regulated runtime when in dual light/laser mode. Durable, Impact-resistant polymer construction.

**BATTERY:** (2) CR-1/3 N lithium  
**SIZE:** 2.20" x 1.20" x 1.47"  
 (5.58 x 3.04 x 3.73 cm)  
*Size & Weight vary by model*  
**WEIGHT:** 1.16 oz. (33g)  
**COLOR:** Black

<b>LUMENS:</b>	100
<b>CANDELA:</b>	2,000
<b>DISTANCE:</b>	89m
<b>RUN TIME:</b>	1h
LASER MODE: RUNS 11 HOURS	



**Red Laser #69290**  
GLOCK<sup>®</sup> 17/19/21



**Red Laser #69291**  
SA XD



**Red Laser #69293**  
M&P<sup>®</sup> Shield<sup>™</sup> 40/9

ITEM #	DESCRIPTION	COO	TAA
69290	TLR-6 (GLOCK <sup>®</sup> 17/19/21) White LED/red laser – Includes (2) CR 1/3N lithium batteries	US	YES
69291	TLR-6 (SA XD <sup>®</sup> ) White LED/red laser – Includes (2) CR 1/3N lithium batteries	US	YES
69293	TLR-6 (S&W M&P <sup>®</sup> ) White LED/red laser – Includes (2) CR 1/3N lithium batteries	US	YES

**TLR-6® FOR SUBCOMPACT HANDGUNS**

An industry first, the ultra-compact TLR-6 weapon light with white LED and integrated 640/660 nm red aiming laser features tool-less battery replacement without removal from the weapon or the need to re-sight the laser. The light provides 1 hour of regulated runtime when in dual light/laser mode. Three operating modes — Light only / Light & Laser / Laser only. Designed to securely attach to the trigger guard on hand guns. Durable, impact-resistant polymer construction.

**BATTERY:** (2) CR-1/3 N lithium  
**SIZE:** 2.30" x 0.85" x 1.42" (5.84 x 2.16 x 3.61 cm)  
*Size & Weight vary by model*  
**WEIGHT:** 1.27 oz. (36g)  
**COLOR:** Black or Flat Dark Earth

**LUMENS:** 100  
**CANDELA:** 2,000  
**DISTANCE:** 89m  
**RUN TIME:** 1h  
 LASER MODE: RUNS 11 HOURS

**Universal Kit #69277**



Universal Kit includes one LED/laser Aiming module and the following shells: GLOCK 42, GLOCK 26, M&P Shield, KAHR ARMS, SIG SAUER, KIMBER Micro. (Flat Dark Earth, Rail Mount, 1911 & Non Laser models not included.)

ITEM #	NSN/MCN	DESCRIPTION	COO	TAA
69270	5855-01-691-3049	TLR-6 (GLOCK® 42/43) White LED/red laser – Includes (2) CR 1/3N lithium batteries – Black	US	YES
69272	6230-01-682-9566	TLR-6 (GLOCK® 26/27/33) White LED/red laser – Includes (2) CR 1/3N lithium batteries – Black	US	YES
69277	--	TLR-6 Universal Kit – Includes LED/laser module and select TLR-6 body housings – Black	US	YES
69273	--	TLR-6 (M&P® Shield™ 40/9) White LED/red laser – Includes (2) CR 1/3N lithium batteries – Black	US	YES
69278	--	TLR-6 (GLOCK® 42/43) White LED/red laser – Includes (2) CR 1/3N lithium batteries – Flat Dark Earth	US	YES
69284	--	TLR-6 (SIG SAUER® P365®/XL) White LED/red laser – Includes (2) CR 1/3N lithium batteries – Black	US	YES
69286	--	TLR-6 (GLOCK® 43X/48 MOS and GLOCK® 43X/48 RAIL) White LED/red laser – Includes (2) CR 1/3N lithium batteries – Black	US	YES
69287	--	TLR-6 (SA Hellcat®) White LED/red laser – Includes (2) CR 1/3N lithium batteries – Black	US	YES
69288	--	TLR-6 (Taurus GX4™) White LED/red laser - Includes (2) CR 1/3N lithium batteries – Black	US	YES
<b>NO LASER MODELS</b>				
69280	--	TLR-6 (GLOCK® 42/43) without laser – White LED – Includes (2) CR 1/3N lithium batteries – Black	US	YES
69282	--	TLR-6 (GLOCK® 26/27/33) without laser – White LED – Includes (2) CR 1/3N lithium batteries – Black	US	YES
69283	--	TLR-6 (M&P® Shield™) without laser – White LED – Includes (2) CR 1/3N lithium batteries – Black	US	YES
69285	--	TLR-6 (SIG SAUER® P365®/XL) without laser – White LED – Includes (2) CR 1/3N lithium batteries – Black	US	YES

All rights reserved. GLOCK®, Smith & Wesson® and M&P SHIELD®, Kahr®, SIG SAUER®, Kimber®, Springfield Armory®, Taurus®, Colt® and Remington® are registered trademarks of Glock, Inc., Smith & Wesson Inc., Saeilo Enterprises, Inc., SIG Sauer, Inc., Kimber IP, LLC, Springfield, Inc., Taurus Armas S.A., Colt's Manufacturing IP Holding Company LLC, and Ammunition Operations, LLC, respectively. Streamlight has not sought endorsement from any of the Companies mentioned in this paragraph.

**Red Laser #69270**  
GLOCK® 42/43



**Red Laser #69278**  
GLOCK® 42/43



**Red Laser #69272**  
GLOCK® 26/27/33



**Red Laser #69273**  
M&P® Shield™ 40/9



**Red Laser #69284**  
SIG SAUER® P365®/XL



**Red Laser #69286**  
GLOCK® 43X/48MOS  
GLOCK® 43X/48Rail



**Red Laser #69288**  
Taurus GX4™



**Non Laser #69280**  
GLOCK® 42/43



**Non Laser #69282**  
GLOCK® 26/27/33



**Non Laser #69283**  
M&P® Shield™ 40/9



**Non Laser #69285**  
SIG SAUER® P365®/XL



**Red Laser #69287**  
SA Hellcat®





# TLR-6 HL<sup>®</sup>

## RECHARGEABLE LIGHTS FOR COMPACT, SUBCOMPACT & CONCEALED CARRY WEAPONS

### TLR-6 HL<sup>®</sup> // TLR-6 HL<sup>®</sup> G RAIL MOUNT **NEW**

With a rechargeable battery system powering 300 lumens of bright light and a red or green laser, identifying the target has never been easier. Includes three easy-to-swap batteries to triple your runtime for a full hour of power. A portable charging case conveniently stores and charges your batteries without the need to tether your gun. Save on cost over disposable batteries and save the waste stream. Durable, impact-resistant polymer construction. Designed to securely attach to the rail and the trigger guard of GLOCK<sup>®</sup> compact railed handguns, standard and compact railed handguns.

**BATTERY:** (1) SL-B2<sup>®</sup> rechargeable battery  
**SIZE:** 2.50" x 0.85" x 1.56" (6.35 x 2.16 x 3.96 cm)  
*Size & Weight vary by model*  
**WEIGHT:** 1.12 oz. (31.8g)  
**COLORS:** Black

<b>LUMENS:</b>	300
<b>CANDELA:</b>	4,250
<b>DISTANCE:</b>	130m
<b>RUN TIME:</b>	20min
RED LASER: RUNS 9 HOURS	
GREEN LASER: RUNS 5 HOURS	



**Red Laser #69343**  
GLOCK<sup>®</sup> Rail Mount



**Green Laser #69353**  
GLOCK<sup>®</sup> Rail Mount

ITEM #	DESCRIPTION	COO	TAA
69343	TLR-6 HL (GLOCK <sup>®</sup> Rail Mount) White LED/red laser – Includes (3) SL-B2 batteries and charger	US	YES
69353	TLR-6 HL G (GLOCK <sup>®</sup> Rail Mount) White LED/green laser – Includes (3) SL-B2 batteries and charger	US	YES

**TLR-6 HL® // TLR-6 HL® G FOR SUBCOMPACT HANDGUNS** **NEW**

With a rechargeable battery system powering 300 lumens of bright light and a red or green laser, identifying the target has never been easier. Includes three easy-to-swap batteries to triple your runtime for a full hour of power. A portable charging case conveniently stores and charges your batteries without the need to tether your gun. Save on cost over disposable batteries and save the waste stream. Durable, impact-resistant polymer construction. Designed to securely attach to the trigger guard/rail of select handguns.

**BATTERY:** (1) SL-B2® rechargeable battery  
**SIZE:** 2.50" x 0.85" x 1.56" (6.35 x 2.16 x 3.96 cm)  
*Size & Weight vary by model*  
**WEIGHT:** 1.12 oz. (31.8g)  
**COLORS:** Black or Flat Dark Earth

<b>LUMENS:</b>	300
<b>CANDELA:</b>	4,250
<b>DISTANCE:</b>	130m
<b>RUN TIME:</b>	20min
RED LASER: RUNS 9 HOURS	
GREEN LASER: RUNS 5 HOURS	

**SL-B2® charging case**  
 Charges batteries using USB-C cord  
 Features charge status indicator



**Red Laser #69340**  
 GLOCK® 42/43/49



**Red Laser #69341**  
 GLOCK® 42/43/49



**Red Laser #69342**  
 M&P® Shield™ 40/9



**Red Laser #69344**  
 SIG SAUER® P365®/XL



**Green Laser #69350**  
 GLOCK® 42/43/49



**Green Laser #69351**  
 GLOCK® 42/43/49



**Green Laser #69352**  
 M&P® Shield™ 40/9



**Green Laser #69354**  
 SIG SAUER® P365®/XL



ITEM #	DESCRIPTION	COO	TAA
<b>TLR-6 HL</b>			
69340	TLR-6 HL (GLOCK® 42/43/49) White LED/red laser – Includes (3) SL-B2 batteries and charger - Black	US	YES
69341	TLR-6 HL (GLOCK® 42/43/49) White LED/red laser – Includes (3) SL-B2 batteries and charger - Flat Dark Earth	US	YES
69342	TLR-6 HL (M&P® Shield™ 40/9) White LED/red laser – Includes (3) SL-B2 batteries and charger - Black	US	YES
69344	TLR-6 HL (SIG SAUER® P365®/XL) White LED/red laser – Includes (3) SL-B2 batteries and charger - Black	US	YES
<b>TLR-6 HL G</b>			
69350	TLR-6 HL G (GLOCK® 42/43/49) White LED/green laser – Includes (3) SL-B2 batteries and charger - Black	US	YES
69351	TLR-6 HL G (GLOCK® 42/43/49) White LED/green laser – Includes (3) SL-B2 batteries and charger - Flat Dark Earth	US	YES
69352	TLR-6 HL G (M&P® Shield™ 40/9) White LED/green laser – Includes (3) SL-B2 batteries and charger - Black	US	YES
69354	TLR-6 HL G (SIG SAUER® P365®/XL) White LED/green laser – Includes (3) SL-B2 batteries and charger - Black	US	YES

All rights reserved. GLOCK® is a registered trademark of Glock, Inc. SIG SAUER® and P365® are registered trademarks of SIG Sauer, Inc. M&P® Shield™ is a trademark of Smith & Wesson Inc. Streamlight has not sought endorsement from any of the Companies mentioned in this paragraph.

**TLR-7<sup>®</sup> X USB // TLR-7<sup>®</sup> X RAIL MOUNTED LIGHT** **NEW**  
WHITE LIGHT ILLUMINATOR / TWO SWITCH POSITION OPTIONS

The TLR series is going rechargeable! The TLR-7 X multi-fuel rail-mounted light accepts either our new SL-B9<sup>®</sup> USB rechargeable protected lithium-ion battery pack or a CR123A lithium battery. Interchangeable rear paddle switches accommodate your shooting style.

**BATTERY:** (1) SL-B9 rechargeable battery pack or (1) CR123A lithium battery

**SIZE:** 2.58" x 1.18" x 1.27" (6.55 x 2.98 x 3.23 cm)

**WEIGHT:** 2.64 oz. (74.8g) w/SL-B9; 2.48 oz. (70.3g) w/CR123A


**COLOR:** Black or Flat Dark Earth



**[[STROBE]]**  
Double tap switch to activate

<b>LUMENS:</b>	500
<b>CANDELA:</b>	5,000
<b>DISTANCE:</b>	140m
<b>RUN TIME (SL-B9):</b>	1h
<b>RUN TIME (CR123A):</b>	1.5h

Safe Off feature prevents accidental activation; saves batteries



High Switch

Low Switch



Interchangeable paddle switches easy to swap out with multi-tool (included)

ITEM #	DESCRIPTION	COO	TAA
69424	TLR-7 X – Includes high switch mounted on light plus low switch in package – lithium battery, key kit – Black	US	YES
69429	TLR-7 X – Includes high switch mounted on light plus low switch in package – lithium battery, key kit – FDE	US	YES
69455	TLR-7 X USB – Includes high switch mounted on light plus low switch in package – SL-B9 rechargeable battery pack, key kit – Black	US	YES
69456	TLR-7 X USB – Includes high switch mounted on light plus low switch in package – SL-B9 rechargeable battery pack, key kit – FDE	US	YES

**MULTI-FUEL DESIGN:**

Runs on SL-B9 battery pack or CR123A battery

**TLR-7<sup>®</sup> X CONTOUR REMOTE RAIL MOUNTED LIGHT** **NEW**  
WHITE LIGHT ILLUMINATOR / HIGH SWITCH POSITION

The TLR-7 X Contour Remote is designed for one-handed shooting - ideal for dog handlers, SWAT teams, door breaching and close quarter operations. IPX7-rated; waterproof to 1m for 30 minutes.

**BATTERY:** (1) CR123A lithium

**SIZE:** 4.6" x 1.16" x 1.79" (11.68 x 2.95 x 4.55 cm)

**WEIGHT:** 2.85 oz. (80.7g) w/SL-B9 // 2.69 oz. (76.3g) w/CR123A

**COLOR:** Black



Safe Off feature prevents accidental activation; saves batteries

<b>LUMENS:</b>	500
<b>CANDELA:</b>	5,000
<b>DISTANCE:</b>	140m
<b>RUN TIME (SL-B9):</b>	1h
<b>RUN TIME (CR123A):</b>	1.5h

ITEM #	DESCRIPTION	COO	TAA
69428	TLR-7 X Contour Remote - for GLOCK <sup>®</sup> Gen 4 or Gen 5 models, CR123A lithium battery	US	YES
69480	TLR-7 X Contour Remote - for SIG SAUER <sup>®</sup> P320 <sup>®</sup> XCARRY frame, CR123A lithium battery	US	YES



Securely fits GLOCK<sup>®</sup> Gen 4 or Gen 5 models with rails or SIG SAUER<sup>®</sup> P320<sup>®</sup> XCARRY frame. Designed to fit snugly around the trigger guard.

Note: Cannot be retrofitted with existing TLR-7 X products



**TLR-7® HL-X USB RAIL MOUNTED LIGHT** // **NEW**  
WHITE LIGHT ILLUMINATOR / TWO SWITCH POSITION OPTIONS

The TLR-7 HL-X USB, high lumen, multi-fuel, rail-mounted light accepts either our new SL-B9® USB rechargeable protected lithium-ion battery pack or a CR123A lithium battery. Interchangeable rear paddle switches accommodate your shooting style. Face cap engineered to produce a longer reaching, tighter beam. User-programmable output modes. IPX7-rated; waterproof to 1m for 30 minutes.



Interchangeable paddle switches easy to swap out with multi-tool (included)

**BATTERY:** (1) SL-B9 rechargeable battery pack (included) or (1) CR123A lithium battery  
**SIZE:** 2.9" x 1.18" x 1.27" (7.37 x 2.98 x 3.23 cm)  
**WEIGHT:** 2.88 oz. (81.6g) w/SL-B9 // 2.8 oz. (79.4g) w/CR123A  
**COLOR:** Black or Flat Dark Earth (FDE)



1,000  
LUMENS

[(STROBE)]  
Double tap switch to activate

Safe Off feature prevents accidental activation; saves batteries

<b>SL-B9</b>	
<b>LUMENS:</b>	1,000
<b>CANDELA:</b>	22,000
<b>DISTANCE:</b>	297m
<b>RUN TIME:</b>	30 min
<b>CR123A</b>	
<b>LUMENS:</b>	500
<b>CANDELA:</b>	11,000
<b>DISTANCE:</b>	210m
<b>RUN TIME:</b>	1.5h



22,000 cd

**MULTI-FUEL DESIGN:**  
Runs on SL-B9 battery pack or CR123A battery

ITEM #	DESCRIPTION	COO	TAA
69458	TLR-7 HL-X USB – Includes high switch mounted on light plus low switch in package, SL-B9 rechargeable battery pack and key kit – Black	US	YES
69459	TLR-7 HL-X USB – Includes high switch mounted on light plus low switch in package, SL-B9 rechargeable battery pack and key kit – FDE	US	YES



High Switch



Low Switch

STREAMLIGHT  
TLR SERIES



**TLR-8<sup>®</sup>A RAIL MOUNTED LIGHT**

WHITE LIGHT ILLUMINATOR / **RED LASER** / TWO SWITCH POSITION OPTIONS

The TLR-8A features an integrated 640-660nm red laser and customized ergonomic switches featuring a low or high position to match your shooting style. It features an ambidextrous on/off switch and a rail clamp designed to rapidly attach/detach from the side of compact and full frame weapons. IPX4-rated; water-resistant.

**BATTERY:** (1) CR123A lithium  
**SIZE:** 2.58" x 1.18" x 1.5" (6.55 x 2.98 x 3.81 cm)  
**WEIGHT:** 2.64 oz. (75g)  
**COLOR:** Black

**LUMENS:** 500  
**CANDELA:** 5,000  
**DISTANCE:** 140m  
**RUN TIME:** 1.5h  
 LASER MODE: RUNS 60 HOURS



High Switch



Low Switch

ITEM #	DESCRIPTION	COO	TAA
69414	TLR-8A – Includes high switch mounted on light plus low switch in package, lithium battery and key kit	US	YES

**TLR-8<sup>®</sup>A G RAIL MOUNTED LIGHT**

WHITE LIGHT ILLUMINATOR / **GREEN LASER** / TWO SWITCH POSITION OPTIONS

The TLR-8A G with an integrated 510-530nm green laser includes customized ergonomic switches featuring a low or high option to match your shooting style. It features an ambidextrous on/off switch and a rail clamp designed to rapidly attach/detach from side of compact and full frame weapons. IPX4-rated; water-resistant.

**BATTERY:** (1) CR123A lithium  
**SIZE:** 2.58" x 1.18" x 1.50" (6.55 x 2.98 x 3.81 cm)  
**WEIGHT:** 2.64 oz. (75g)  
**COLOR:** Black

**LUMENS:** 500  
**CANDELA:** 5,000  
**DISTANCE:** 140m  
**RUN TIME:** 1.5h  
 LASER MODE: RUNS 11 HOURS



High Switch



Low Switch

ITEM #	DESCRIPTION	COO	TAA
69434	TLR-8A G – Includes high switch mounted on light plus low switch in package, lithium battery and key kit	US	YES

**[(STROBE)]**

Double tap switch to activate



Safe Off feature prevents accidental activation; saves batteries



Interchangeable paddle switches easy to swap out with multi-tool (included)

**[(STROBE)]**

Double tap switch to activate



Safe Off feature prevents accidental activation; saves batteries



ULTRA LOW PROFILE

# RAIL MOUNT LIGHTS

DURABILITY, POWER & LONG RUN TIME

## TLR-7® SUB RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR / HIGH SWITCH POSITION

Maximize your weapons platform with interchangeable rear paddle switches that allow you to customize your TLR-7 sub to your shooting style. Designed to enhance visibility and targeting capability in home defense and tactical situations, the ultra-compact and lightweight TLR-7 sub fits on select railed subcompact pistols. IPX7-rated; waterproof to 1m for 30 minutes.

**BATTERY:** (1) CR123A lithium  
**SIZE:** 1.16" x 1.24" x 2.51" (2.95 x 3.15 x 6.38 cm)  
**WEIGHT:** 2.39 oz. (67.8g)  
**COLOR:** Black



Interchangeable paddle switches easy to swap out with multi-tool (included)

ITEM #	DESCRIPTION	COO	TAA
69400	TLR-7 sub (for GLOCK® 43X/48 MOS   43X/48 Rail models only) - Includes mounting kit with key & CR123A lithium battery	US	YES
69401	TLR-7 sub (for SIG SAUER® P365®/XL closed rail systems) - Includes mounting kit with key and CR123A lithium battery	US	YES
69402	TLR-7 sub (for 1913 short models) - Includes mounting kit with keys and CR123A lithium battery	US	YES
69404	TLR-7 sub (for SA® Hellcat®) - Includes mounting kit with keys and CR123A lithium battery	US	YES

<b>LUMENS:</b>	500
<b>CANDELA:</b>	5,000
<b>DISTANCE:</b>	141m
<b>RUN TIME:</b>	1.5h

[(STROBE)]

Double tap switch to activate



Safe Off feature prevents accidental activation; saves batteries



## TLR-8® SUB RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR / **RED LASER** / HIGH SWITCH POSITION

Maximize your weapons platform with interchangeable rear paddle switches that allow you to customize your TLR-8 sub to your shooting style. Designed to enhance visibility and targeting capability in home defense and tactical situations, the ultra-compact and lightweight TLR-8 sub fits on select railed subcompact pistols. IPX4-rated; water-resistant.

**LUMENS:** 500  
**CANDELA:** 5,000  
**DISTANCE:** 141m  
**RUN TIME:** 1.5h  
LASER MODE: RUNS 60 HOURS

**[(STROBE)]**

Double tap  
switch to activate



Safe Off feature prevents  
accidental activation;  
saves batteries

**BATTERY:** (1) CR123A lithium  
**SIZE:** 2.51" x 1.16" x 1.45" (6.38 x 2.95 x 3.68 cm)  
**WEIGHT:** 2.77 oz. (78.53g)  
**COLOR:** Black



Interchangeable paddle switches easy to  
swap out with multi-tool (included)



## TLR-8® G SUB RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR / **GREEN LASER** / HIGH SWITCH POSITION

Maximize your weapons platform with interchangeable rear paddle switches that allow you to customize your TLR-8 G sub to your shooting style. Designed to enhance visibility and targeting capability in home defense and tactical situations, the ultra-compact and lightweight TLR-8 G sub fits on select railed subcompact pistols. IPX4-rated; water-resistant.

**LUMENS:** 500  
**CANDELA:** 5,000  
**DISTANCE:** 141m  
**RUN TIME:** 1.5h  
LASER MODE: RUNS 11 HOURS


**[(STROBE)]**

Double tap  
switch to activate



Safe Off feature prevents  
accidental activation;  
saves batteries

**BATTERY:** (1) CR123A lithium  
**SIZE:** 2.51" x 1.16" x 1.45" (6.38 x 2.95 x 3.68 cm)  
**WEIGHT:** 2.77 oz. (78.53g)  
**COLOR:** Black



Interchangeable paddle switches easy to  
swap out with multi-tool (included)

ITEM #	DESCRIPTION	COO	TAA
69411	TLR-8 sub (for GLOCK® 43X/48 MOS   43X/48 Rail models only) - Includes mounting kit with key & CR123A lithium battery	US	YES
69417	TLR-8 sub (for SIG SAUER® P365®/XL closed rail systems) - Includes mounting kit with key and CR123A lithium battery	US	YES
69418	TLR-8 sub (for 1913 short models) - Includes mounting kit with keys and CR123A lithium battery	US	YES
69419	TLR-8 sub (for SA® Hellcat®) - Includes mounting kit with keys and CR123A lithium battery	US	YES

ITEM #	DESCRIPTION	COO	TAA
69431	TLR-8 G sub (for GLOCK® 43X/48 MOS   43X/48 Rail models only) - Includes mounting kit with key & CR123A lithium battery	US	YES
69437	TLR-8 G sub (for SIG SAUER® P365®/XL closed rail systems) - Includes mounting kit with key and CR123A lithium battery	US	YES
69438	TLR-8 G sub (for 1913 short models) - Includes mounting kit with keys and CR123A lithium battery	US	YES
69439	TLR-8 G sub (for SA® Hellcat®) - Includes mounting kit with keys and CR123A lithium battery	US	YES

**TLR-9® RAIL MOUNTED LIGHT**

WHITE LIGHT ILLUMINATOR / TWO SWITCH POSITION OPTIONS

Maximize your weapons platform with interchangeable rear paddle switches that allow you to customize your TLR-9 to your shooting style. It features a rail clamp that is designed to rapidly attach/detach from full frame weapons. IPX7-rated; waterproof to 1m for 30 minutes.

**BATTERY:** (2) CR123A lithium  
**SIZE:** 3.87" x 1.18" x 1.27" (9.82 x 2.98 x 3.22 cm)  
**WEIGHT:** 4.26 oz. (120.9g)  
**COLOR:** Black

<b>LUMENS:</b>	1,000
<b>CANDELA:</b>	10,000
<b>DISTANCE:</b>	200m
<b>RUN TIME:</b>	1.5h
STROBE: RUNS 3 HOURS	



**[(STROBE)]**

Double tap switch to activate



Safe Off feature prevents accidental activation; saves batteries



High Switch



Low Switch



Interchangeable paddle switches easy to swap out with multi-tool (included)

ITEM #	DESCRIPTION	COO	TAA
69464	TLR-9 – Includes high switch mounted on light plus low switch in package, lithium batteries and key kit	US	YES



**TLR-10<sup>®</sup> RAIL MOUNTED LIGHT**

WHITE LIGHT ILLUMINATOR / **RED LASER** / TWO SWITCH POSITION OPTIONS

Maximize your weapons platform with interchangeable rear paddle switches that allow you to customize your TLR-10 with an integrated 640-660nm red laser to your shooting style. It features a rail clamp that is designed to rapidly attach/detach from full frame weapons. IPX4-rated; water-resistant.

**BATTERY:** (2) CR123A lithium  
**SIZE:** 3.87" x 1.18" x 1.50" (9.82 x 2.98 x 3.81 cm)  
**WEIGHT:** 4.62 oz. (131g)  
**COLOR:** Black

<b>LUMENS:</b>	1,000
<b>CANDELA:</b>	10,000
<b>DISTANCE:</b>	200m
<b>RUN TIME:</b>	1.5h
LASER MODE: RUNS 60 HOURS	



High Switch



Low Switch

ITEM #	DESCRIPTION	COO	TAA
69470	TLR-10 – Includes high switch mounted on light plus low switch in package, lithium batteries and key kit	US	YES



**1,000  
LUMENS**

**[(STROBE)]**

Double tap switch to activate



Safe Off feature prevents accidental activation; saves batteries



Interchangeable paddle switches easy to swap out with multi-tool (included)

**TLR-10<sup>®</sup> G RAIL MOUNTED LIGHT**

WHITE LIGHT ILLUMINATOR / **GREEN LASER** / TWO SWITCH POSITION OPTIONS

Maximize your weapons platform with interchangeable rear paddle switches that allow you to customize your TLR-10 G with an integrated 510-530nm green laser to match your shooting style. It features a rail clamp that is designed to rapidly attach/detach from full frame weapons. IPX4-rated; water-resistant.

**BATTERY:** (2) CR123A lithium  
**SIZE:** 3.87" x 1.18" x 1.50" (9.82 x 2.98 x 3.81 cm)  
**WEIGHT:** 4.62 oz. (131g)  
**COLOR:** Black

<b>LUMENS:</b>	1,000
<b>CANDELA:</b>	10,000
<b>DISTANCE:</b>	200m
<b>RUN TIME:</b>	1.5h
LASER MODE: RUNS 11 HOURS	



High Switch



Low Switch

ITEM #	DESCRIPTION	COO	TAA
69473	TLR-10 G – Includes high switch mounted on light plus low switch in package, lithium batteries and key kit	US	YES



**1,000  
LUMENS**

**[(STROBE)]**

Double tap switch to activate



Safe Off feature prevents accidental activation; saves batteries

STREAMLIGHT



STREAMLIGHT

# TLR-7<sup>®</sup> X

MULTI-FUEL: SL-B9 RECHARGEABLE OR CR123A |  
HIGH AND LOW SWITCH OPTIONS | 500 LUMENS

[STREAMLIGHT.COM/TLR-7X](https://streamlight.com/TLR-7X)  
©2024 STREAMLIGHT, INC. ALL RIGHTS RESERVED.

STREAMLIGHT

# SL-B9<sup>®</sup> BATTERY PACK

## TURN YOUR TLRs INTO RECHARGEABLE SYSTEMS



You know how you make the best performing gun lights in the business even better? Simple. Give users multiple ways to power and charge them. Introducing our SL-B9<sup>®</sup> Protected Lithium-Ion USB Rechargeable Battery Pack with integrated charging port. Charges by USB cord, or optional bank charger. Flexibility for however and wherever you use your light.

### SL-B9<sup>®</sup> PROTECTED LITHIUM-ION USB RECHARGEABLE BATTERY PACK NEW

The battery pack that transforms multi-fuel, high-performance gun lights into rechargeable systems. USB rechargeable - Features USB-C input and charge status indicators; charges in 2.5 hours. Integrated safety circuit protects battery from overcharge. Charge via USB source or optional bank charger for departmental use. The charge cradle is ideal for storage as well as to charge your batteries.

**BATTERY CAPACITY:** 850mAh SL-B9 protected Li-Ion USB rechargeable battery pack  
**BATTERY SIZE:** 1.36" x 0.67" (3.45 x 1.7 cm)  
**BATTERY WEIGHT:** 0.72 oz. (20.4g)

ITEM #	DESCRIPTION
20237	SL-B9 Li-Ion USB rechargeable battery pack- 2pk
20238	SL-B9 Li-Ion USB rechargeable battery pack- 8pk
22084	22" (55.88 cm) USB-C Cord



Features integrated USB port.  
Charge status LEDs:

Red = charging

Green = charged



USB-C Rechargeable 850mAh SL-B9 Lithium-Ion Battery Pack - Charges in 2.5 hours.

**STREAMLIGHT**

# **SPEEDLOCKER®**

PERSONAL, PORTABLE STORAGE | AIR  
TRAVEL SUITABLE WITH SUPPLIED PADLOCK |  
CONVENIENT CARRY HANDLE



[STREAMLIGHT.COM/SPEEDLOCKER](https://streamlight.com/speedlocker)  
©2024 STREAMLIGHT, INC. ALL RIGHTS RESERVED

**STREAMLIGHT**

**SPEEDLOCKER®** **NEW**

The SpeedLocker is a portable, locking storage container that provides you with swift and direct access. A patented mechanical keypad with one-handed entry keeps your personal items secure at home or at work. Rugged, water-resistant construction with convenient carry handle is designed for travel making it an ideal companion wherever you go.

The SpeedLocker accommodates various firearm sizes. It's important to note that the SpeedLocker is not a gun safe; however, it effectively limits unauthorized access while ensuring your essentials remain within easy reach.

**EXTERNAL:** 12.4" x 8.2" x 2.78" (31.5 x 20.8 x 7.1 cm)

**INTERNAL:** 8 x 7.1" (20.3 x 18 cm)

**WEIGHT:** 2.6 lbs. (1.2 kg)

**COLOR:** Black

ITEM #	DESCRIPTION
59000	SpeedLocker - Includes padlock, Allen key and security cable
59001	Padlock with 3 keys
59002	3' (91.44 cm) Security Cable

The SpeedLocker® is not an approved firearm safe. It is the user's responsibility to determine the suitability to the specific situation and need.



Patented mechanical keypad with 31 user selectable combinations - requires no batteries



Fits various compact firearm models



Air travel suitable with supplied padlock




**TLR<sup>®</sup> RM 1**  
**COMPACT RAIL MOUNTED LIGHTING SYSTEM**

The low-profile TLR RM 1 features an HPL face cap for a longer reaching, tighter beam; provides increased candela while maintaining the lumen output. Independently operating push-button and remote pressure switches provide the security of knowing you'll always have light. IPX7-rated; waterproof to 1m for 30 minutes. System is packaged as a kit offering everything you need to mount to your long gun.

**BATTERY:** (1) CR123A lithium  
**SIZE:** 3.64" x 1.5" x 1.18" (9.25 x 3.81 x 3 cm)  
**WEIGHT:** 3.02 oz. (85.6g)  
**COLOR:** Black

<b>LUMENS:</b>	500
<b>CANDELA:</b>	11,000
<b>DISTANCE:</b>	210m
<b>RUN TIME:</b>	1.5h
STROBE RUNS 3 HOURS	



ITEM #	DESCRIPTION	COO	TAA
69440	TLR RM 1 - System - Includes remote door switch, remote pressure switch, mounting clips and CR123A lithium battery	US	YES
69441	TLR RM 1 - Light Only - Includes key kit & (1) CR123A lithium battery	US	YES
69442	TLR RM 1 - with Dual Remote Switch	US	YES



#69138 – TLR Dual Remote Pressure Switch, Mounting Clips, Adhesive pad, and Cable Ties:  
 Accessory switch allows for simultaneous or individual activation of the Streamlight TLR-1 & 2 / TLR RM 1 & 2 / TLR RM 1 & 2 Laser Weapon lights (sold separately) and accompanying external aiming device

# COMPACT RAIL MOUNTED LONG GUN LIGHTING SYSTEMS



## TLR<sup>®</sup> RM 2 COMPACT RAIL MOUNTED LIGHTING SYSTEM

The low-profile TLR RM 2 features an HPL face cap for a longer reaching, tighter beam; provides increased candela while maintaining the lumen output. Independently operating push-button and remote pressure switches provide the security of knowing you'll always have light. IPX7-rated; waterproof to 1m for 30 minutes. System is packaged as a kit offering everything you need to mount to your long gun.

**BATTERY:** (2) CR123A lithium  
**SIZE:** 4.97" x 1.5" x 1.18" (12.6 x 3.81 x 3 cm)  
**WEIGHT:** 4.68 oz. (132.7g)  
**COLOR:** Black

<b>LUMENS:</b>	1,000
<b>CANDELA:</b>	22,000
<b>DISTANCE:</b>	297m
<b>RUN TIME:</b>	1.5h
STROBE RUNS 3 HOURS	



**[(STROBE)]**

Double tap switch to activate

Safe Off feature prevents accidental activation; saves batteries

ITEM #	DESCRIPTION	COO	TAA
69450	TLR RM 2 - System - Includes remote door switch, remote pressure switch, mounting clips, & (2) CR123A lithium batteries	US	YES
69451	TLR RM 2 - Light Only - Includes Key Kit and (2) CR123A lithium batteries	US	YES



TLR RM 2 with Remote Pressure Switch: #69450



#69138 - TLR Dual Remote Pressure Switch, Mounting Clips, Adhesive pad, and Cable Ties:

Accessory switch allows for simultaneous or individual activation of the Streamlight TLR-1 & 2 / TLR RM 1 & 2 / TLR RM 1 & 2 Red & Green Laser models Weapon lights (sold separately) and accompanying external aiming device

# STREAMLIGHT LONG GUN LIGHT SERIES

## TLR<sup>®</sup> RM 1 LASER COMPACT, HIGH CANDELA RAIL MOUNTED LIGHTING SYSTEM WHITE LIGHT ILLUMINATOR / RED LASER

The low-profile TLR RM 1 Laser features an HPL face cap for a longer reaching, tighter beam. It's designed to provide increased candela while maintaining the lumen output. Independently operating push-button and remote pressure switches provide the security of knowing you'll always have light. IPX4-rated; water-resistant 1m impact-resistance tested. System is packaged as a kit offering everything you need to mount to your long gun.

**BATTERY:** (1) CR123A lithium  
**SIZE:** 3.64" x 1.5" x 1.18" (9.25 x 3.81 x 3 cm)  
**WEIGHT:** 3.24 oz. (91.9g)  
**COLOR:** Black

<b>LUMENS:</b>	500
<b>CANDELA:</b>	11,000
<b>DISTANCE:</b>	210m
<b>RUN TIME:</b>	1.5h
STROBE RUNS 3 HOURS LASER RUNS 60 HOURS	

ITEM #	DESCRIPTION	COO	TAA
69445	TLR RM 1 Laser - System - Includes remote door switch, remote pressure switch, mounting clips and (1) CR123A lithium battery	US	YES
69446	TLR RM 1 Laser - Light Only - Includes key kit and (1) CR123A lithium battery	US	YES



[(STROBE)]  
Double tap switch to activate

## TLR<sup>®</sup> RM 2 LASER COMPACT, HIGH CANDELA RAIL MOUNTED LIGHTING SYSTEM WHITE LIGHT ILLUMINATOR / RED LASER

The low-profile TLR RM 2 Laser features an HPL face cap for a longer reaching, tighter beam. It's designed to provide increased candela while maintaining the lumen output. Independently operating push-button and remote pressure switches provide the security of knowing you'll always have light. IPX4-rated; water-resistant 1m impact-resistance tested. System is packaged as a kit offering everything you need to mount to your long gun.

**BATTERY:** (2) CR123A lithium  
**SIZE:** 4.97" x 1.18" x 1.5" (12.6 x 3 x 3.81 cm)  
**WEIGHT:** 5.11 oz. (144.7g)  
**COLOR:** Black

<b>LUMENS:</b>	1,000
<b>CANDELA:</b>	22,000
<b>DISTANCE:</b>	297m
<b>RUN TIME:</b>	1.5h
STROBE RUNS 3 HOURS LASER RUNS 60 HOURS	

ITEM #	DESCRIPTION	COO	TAA
69447	TLR RM 2 Laser - System - Includes remote door switch, remote pressure switch, mounting clips and (2) CR123A lithium batteries	US	YES
69448	TLR RM 2 Laser - Light Only - Includes Key Kit and (2) CR123A lithium batteries	US	YES



[(STROBE)]  
Double tap switch to activate



### #69138 - TLR Dual Remote Pressure Switch, Mounting Clips, Adhesive pad, and Cable Ties:


Accessory switch allows for simultaneous or individual activation of the Streamlight TLR-1 & 2 / TLR RM 1 & 2 / TLR RM 1 & 2 Red & Green Laser models  
Weapon lights (sold separately) and accompanying external aiming device

**TLR<sup>®</sup> RM 1 LASER-G COMPACT, HIGH CANDELA RAIL MOUNTED LIGHTING SYSTEM**  
WHITE LIGHT ILLUMINATOR / GREEN LASER

The low-profile TLR RM 1 Laser-G features an HPL face cap for a longer reaching, tighter beam. It's designed to provide increased candela while maintaining the lumen output. Independently operating push-button and remote pressure switches provide the security of knowing you'll always have light. IPX4-rated; water-resistant 1m impact-resistance tested. System is packaged as a kit offering everything you need to mount to your long gun.

**BATTERY:** (1) CR123A lithium  
**SIZE:** 3.64" x 1.5" x 1.18" (9.25 x 3.81 x 3 cm)  
**WEIGHT:** 3.24 oz. (91.9g)  
**COLOR:** Black

<b>LUMENS:</b>	500
<b>CANDELA:</b>	11,000
<b>DISTANCE:</b>	210m
<b>RUN TIME:</b>	1.5h
STROBE RUNS 3 HOURS LASER RUNS 11 HOURS	



**[(STROBE)]**  
Double tap  
switch to activate



Safe Off feature prevents  
accidental activation;  
saves batteries

ITEM #	DESCRIPTION	COO	TAA
69443	TLR RM 1 Laser-G - System - Includes remote door switch, remote pressure switch, mounting clips & CR123A lithium battery	US	YES
69444	TLR RM 1 Laser-G - Light Only - Includes key kit & (1) CR123A	US	YES




Remote pressure switch attaches with retaining clips

**TLR<sup>®</sup> RM 2 LASER-G COMPACT, HIGH CANDELA RAIL MOUNTED LIGHTING SYSTEM**  
WHITE LIGHT ILLUMINATOR / GREEN LASER

The low-profile TLR RM 2 Laser-G features an HPL face cap for a longer reaching, tighter beam. It's designed to provide increased candela while maintaining the lumen output. Independently operating push-button and remote pressure switches provide the security of knowing you'll always have light. IPX4-rated; water-resistant 1m impact-resistance tested. System is packaged as a kit offering everything you need to mount to your long gun.

**BATTERY:** (2) CR123A lithium  
**SIZE:** 4.97" x 1.18" x 1.5" (12.6 x 3 x 3.81 cm)  
**WEIGHT:** 5.11 oz. (144.7g)  
**COLOR:** Black

<b>LUMENS:</b>	1,000
<b>CANDELA:</b>	22,000
<b>DISTANCE:</b>	297m
<b>RUN TIME:</b>	1.5h
STROBE RUNS 3 HOURS LASER RUNS 11 HOURS	



**[(STROBE)]**  
Double tap  
switch to activate



Safe Off feature prevents  
accidental activation;  
saves batteries

ITEM #	DESCRIPTION	COO	TAA
69453	TLR RM 2 Laser-G - System - Includes remote door switch, remote pressure switch, mounting clips & (2) CR123A lithium batteries	US	YES
69454	TLR RM 2 Laser-G - Light Only - Includes Key Kit & (2) CR123A lithium batteries	US	YES

Remote switch exits port at 90° providing  
improved wire routing to preserve rail space



Ergonomic push-button switch



Mode selector toggle switch for Laser only  
Light only or Light/Laser combo

# TLR-1 HPL<sup>®</sup>

**HIGH-LUMEN + LONG-DISTANCE**

# SEE EVERYWHERE

## TLR-1 HPL<sup>®</sup>

WHITE LIGHT ILLUMINATOR

This high lumen, long-range, rail-mounted tactical light produces an intensely bright, far-reaching wide beam that illuminates your target downrange along with everything in your path. Fits long-guns. Attaches/detaches with one hand in seconds. Includes a strobe for signaling/disorienting. IPX7-rated; waterproof to 1m for 30 minutes. Impact-resistant. Easy, fast battery replacement.

<b>LUMENS:</b>	1,000
<b>CANDELA:</b>	60,000
<b>DISTANCE:</b>	490m
<b>RUN TIME:</b>	1.5h

### TLR-1 HPL

**BATTERY:** (2) CR123A lithium

**SIZE:** 4.83" x 1.44" x 2.2"  
(12.27 x 3.66 x 5.59 cm)

**WEIGHT:** 5.6 oz. (158.8g)

**COLOR:** Black

### W/REMOTE

**BATTERY:** (2) CR123A lithium

**SIZE:** 5.25" x 1.44" x 2.2"  
(13.34 x 3.66 x 5.59 cm)

**WEIGHT:** 5.9 oz. (167.3g)

**COLOR:** Black



ITEM #	DESCRIPTION	COO	TAA
69215	TLR-1 HPL Standard Switch - Includes Rail Locating Keys for use with GLOCK <sup>®</sup> style, 1913 Picatinny, Smith & Wesson <sup>®</sup> 99/TSW and Beretta <sup>®</sup> 90-TWO - Lithium batteries	US	YES
69216	TLR-1 HPL Remote Switch - Includes Rail Locating Keys for use with GLOCK <sup>®</sup> style, 1913 Picatinny, Smith & Wesson <sup>®</sup> 99/TSW and Beretta <sup>®</sup> 90-TWO - Remote switch - Lithium batteries	US	YES
69219	TLR-1 HPL Long Gun Kit - Includes Safe Off remote door switch, remote pressure switch, mounting clips, standard door switch and lithium batteries	US	YES



## TL-RACKER®

The compact, lightweight all-in-one integrated shotgun forend light. Replace your weapon's forend with the TL-Racker featuring a bright 1,000 lumen LED light in a sleek design that eliminates the need for remote cords, reducing snag hazards. Its ergonomic design provides maximum grip and easy switch access for momentary and constant on. The elongated switch pad accommodates virtually any hand size. Uses two CR123A lithium batteries. Its customized optic produces a concentrated beam for multiple applications. Ideal for shotgun breaching, close quarter operations or elevating home defense options. IPX7-rated; waterproof to 1m for 30 minutes.

**1,000  
LUMENS**



Mossberg 590® Shockwave model

**BATTERY:** (2) CR123A lithium  
**SIZE:** 8" x 1.95" x 2.64" (20.32 x 4.95 x 6.71 cm)  
**WEIGHT:** 12.1 oz. (343g)  
**COLOR:** Black or Orange

<b>LUMENS:</b>	1,000
<b>CANDELA:</b>	20,000
<b>DISTANCE:</b>	283m
<b>RUN TIME:</b>	1.5h



Models available for Mossberg 500®/590® and Remington 870™

ITEM #	DESCRIPTION	COO	TAA
69600	TL Racker - Mossberg 500/590 - Includes (2) CR123A lithium batteries - Black	US	YES
69601	TL Racker - Remington 870 - Includes (2) CR123A lithium batteries - Black	US	YES
69602	TL Racker - Mossberg 590 Shockwave with strap - Includes (2) CR123A lithium batteries - Black	US	YES
69610	TL Racker - Mossberg 500/590 - Includes (2) CR123A lithium batteries - Orange	US	YES
69611	TL Racker - Remington 870 - Includes (2) CR123A lithium batteries - Orange	US	YES

Note: For TL Rackers #69610 and #69611; Orange is the less lethal option

**TLR SERIES ACCESSORIES**

	TLR-1 HL/ TLR-2 HL	TLR-2 G/ TLR-2 HL G	TLR-1/ TLR-1s	TLR-2/ TLR-2s	TLR-VIR II	TLR-6	TLR-6 HL/ TLR-6 HL G
Remington 870 Mount 	69906	69906	69906	69906	—	—	—
TLR 12 ga. Mag Mount Mag Tube/Mossberg Rail 	69901 69903	69901 69903	69901 69903	69901 69903	—	—	—
Ambidextrous Vert. Grip w/Rail 	69114	69114	69114	69114	—	—	—
TLR-1/TLR-2 Key Kit NSN/MCN: 1005-01-687-4361 	69175	69175	69175	69175	—	—	—
TLR-7/TLR-8/TLR-9/TLR-10 Key Kit 	—	—	—	—	—	—	—
TLR M-LOK® Mount 	88301	88301	88301	88301	—	—	—
Contour Remote - GLOCK® - M&P® - SIG SAUER® P320® 	69300 69310 69481	69300 69310 69481	69300 69310 69481	69300 69310 69481	—	—	—
TLR-1/TLR-2 Remote Door Switch 	69130	69130	69130	69130	—	—	—
Door Switch w/Safe Off 	69161	69161	69161	69161	—	—	—
Tail Switch Kit - TLR-7 X/TLR-9 	—	—	—	—	—	—	—
Tail Switch Kit TLR-8A/8A G/TLR-10/10 G 	—	—	—	—	—	—	—
Tail Switch Kit TLR-7 sub 	—	—	—	—	—	—	—
Tail Switch Kit TLR-8 sub/TLR-8 G sub 	—	—	—	—	—	—	—
Tape Switch 	69132	69132	69132	69132	—	—	—
Coil Pressure Switch 	69134	69134	69134	69134	—	—	—
Straight Momentary Pressure Switch 	69135	69135	69135	69135	—	—	—
Straight Latching Pressure Switch 	89008	89008	89008	89008	—	—	—
Dual Remote Switch 	69138	69138	69138	69138	—	—	—
Remote Retaining Clips 	88178	88178	88178	88178	88178	—	—
Red Flip Lens Blue Flip Lens Green Flip Lens IR Flip Lens Opaque Flip Lens 	69115 69116 69117 69118 69124	69115 69116 69117 69118 69124	69115 69116 69117 69118 69124	69115 69116 69117 69118 69124	69115 69116 69117 69118 69124	—	—
CR123A Batteries 	2pk // 85175 6pk // 85180 12pk // 85177 400pk // 85179				—	—	—
CR1/3N Batteries 	—	—	—	—	—	69271 - 2pk 69281 - 12pk	—
SL-B9® Battery Pack 	—	—	—	—	—	—	—
SL-B2® Battery - 2pk 	—	—	—	—	—	—	22121
SL-B2® Charging Case 	—	—	—	—	—	—	22120

TLR-7 X USB/ TLR-7 X	TLR-7 HL-X USB	TLR-8A TLR-8A G	TLR-7 SUB	TLR-8 SUB TLR-8 G SUB	TLR-7 X CONTOUR REMOTE	TLR-9	TLR-10 TLR-10 G	TLR RM 1 TLR RM 1 LASER RED/GREEN	TLR RM 2 TLR RM 2 LASER RED/GREEN	TLR-1 HPL
69906	69906	69906	—	—	—	69906	69906	—	—	69906
69901	69901	69901	—	—	—	69901	69901	—	—	69901 69903
—	—	—	—	—	—	—	—	—	—	69114
—	—	—	—	—	—	—	—	—	—	69175
69177	69177	69177	—	—	—	69177	69177	69177	69177	—
—	—	—	—	—	—	—	—	88301	88301	88301
—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	69130
—	—	—	—	—	—	—	—	—	—	69161
69490	69490	—	—	—	—	69490	—	—	—	—
—	—	69491	—	—	—	—	69491	—	—	—
—	—	—	69492	—	—	—	—	—	—	—
—	—	—	—	69493	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	69132
—	—	—	—	—	—	—	—	—	—	69134
—	—	—	—	—	—	—	—	69135	69135	69135
—	—	—	—	—	—	—	—	89008	89008	89008
—	—	—	—	—	—	—	—	69138	69138	69138
—	—	—	—	—	—	88178	88178	88178	88178	88178
—	—	—	—	—	—	—	—	—	—	—
—	2 Pk // 85175 6 Pk // 85180 12 Pk // 85177 400 Pk // 85179									
—	—	—	—	—	—	—	—	—	—	—
20237 - 2pk 20238 - 8pk	20237 - 2pk 20238 - 8pk									
—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—

**THE PROTAC RAIL MOUNT LIGHTS**

**SHATTER THE DARK**  
**WITHOUT BREAKING THE BANK**

**PROTAC® RAIL MOUNT 1 LONG GUN LIGHT**

This 350 lumen light features a fixed-mount for MIL-STD 1913 or M-LOK® compatible rails. It uses either a remote switch with momentary/constant on operation or a standard push-button tail switch. Can run on either a lithium battery or an easy-to-find Alkaline battery, both included. IPX7-rated with the Standard button switch installed; waterproof to 1m for 30 minutes. IPX4-rated with the remote pressure switch installed.



CR123A	HIGH	LOW
<b>LUMENS:</b>	350	40
<b>CANDELA:</b>	12,000	1,380
<b>DISTANCE:</b>	219m	19m
<b>RUN TIME:</b>	1.75h	14.5h
STROBE RUNS 2.75 HOURS		

ALKALINE	HIGH	LOW
<b>LUMENS:</b>	150	40
<b>CANDELA:</b>	4,950	1,380
<b>DISTANCE:</b>	141m	19m
<b>RUN TIME:</b>	1.5h	8h
STROBE RUNS 2.75 HOURS		

**BATTERY:** (1) CR123A lithium or (1) "AA" Alkaline  
**SIZE:** 4.25" x 1.5" x 1.2" (10.8 x 3.81 x 3.04 cm)  
**WEIGHT:** 4.3 oz. (121.9g) w/CR123A // 4.5 oz. (127.57g) w/alkaline  
**COLOR:** Black

**MULTI-FUEL DESIGN:**  
Runs on alkaline or CR123A lithium batteries

**[(STROBE)]**  
Double tap switch to activate

**TEN-TAP®** Programmable - choose from three programs:

- high/strobe
- high only
- low/high

ITEM #	DESCRIPTION
88058	ProTac Rail Mount 1 - Includes remote pressure switch, tailcap switch, mounting hardware, M-LOK mount, (1) lithium & (1) "AA" Alkaline battery

**PROTAC® RAIL MOUNT 2 LONG GUN LIGHT**

This bright, lightweight, light can be used in close quarter combat or to identify medium range threats. Rugged, reliable and features a fixed-mount for MIL-STD 1913 or M-LOK® compatible rails. It uses either a remote switch with momentary/constant on operation or a standard push-button tail switch. IP67-rated with the Standard button switch installed; waterproof to 1m for 30 minutes. IP54-rated with the remote pressure switch installed.

**BATTERY:** (2) CR123A lithium  
**SIZE:** 5" x 1.5" x 1.2" (12.7 x 3.81 x 3.04 cm)  
**WEIGHT:** 5 oz. (141.7g)  
**COLOR:** Black

CR123A	HIGH	LOW
<b>LUMENS:</b>	625	60
<b>CANDELA:</b>	22,000	2,000
<b>DISTANCE:</b>	297m	89m
<b>RUN TIME:</b>	2h	21h
STROBE RUNS 2.75 HOURS		



ITEM #	DESCRIPTION
88059	ProTac Rail Mount 2 - Includes remote pressure switch, tailcap switch, mounting hardware, M-LOK mount and (2) CR123A lithium batteries

**[(STROBE)]**  
 Double tap switch to activate

**TEN-TAP®** Programmable - choose from three programs:  
 • high/strobe  
 • high only  
 • low/high

**PROTAC® RAIL MOUNT HL-X LONG GUN LIGHT**

	HIGH	LOW
<b>LUMENS:</b>	1,000	60
<b>CANDELA:</b>	50,000	3,100
<b>DISTANCE:</b>	447m	111m
<b>RUN TIME [CR123A]:</b>	1.25h	21h
<b>RUN TIME [SL-B26]:</b>	1.75h	24h
STROBE RUNS 2.5 HOURS [CR123A]; 3.5 HOURS [SL-B26]		



**[(STROBE)]**  
 Double tap switch to activate

The ProTac Rail Mount HL-X features a fixed-mount for MIL-STD 1913 or M-LOK® compatible rails. Lightweight, this bright light can be used in close quarter combat or to identify medium range threats. Rugged, reliable and features a remote switch with momentary/constant on operation or a standard push-button tail switch. IP67-rated with the Standard button switch installed; waterproof to 1m for 30 minutes. IP54-rated with the remote pressure switch installed.

**BATTERY:** (2) CR123A lithium or (1) SL-B26 Li-Ion USB rechargeable battery pack  
**SIZE:** 5.43" x 1.45" x 1.72" (13.8 x 3.68 x 4.37 cm)  
**WEIGHT:** 6.4 oz. (181.4g) w/CR123A // 6.9 oz. (195.6g) w/SL-B26  
**COLOR:** Black



**MULTI-FUEL DESIGN:**  
 Runs on SL-B26 battery pack or CR123A lithium batteries

**TEN-TAP®** Programmable - choose from three programs:  
 • high/strobe  
 • high only  
 • low/high

ITEM #	DESCRIPTION
88066	ProTac Rail Mount HL-X - Includes remote switch, tail switch, remote retaining clips mounting hardware, M-LOK mount and lithium batteries
88071	ProTac Rail Mount HL-X USB - Includes remote switch, tail switch, remote retaining clips mounting hardware, M-LOK mount, SL-B26 battery pack and micro-USB cord

# STREAMLIGHT LONG GUN LIGHT SERIES

## PROTAC® RAIL MOUNT HL-X PRO LONG GUN LIGHT NEW

WHITE LIGHT ILLUMINATOR

The ProTac series expands its weapon-mounted lights with this 50,000 candela light with a 447m beam distance. It features a fixed-mount for MIL-STD 1913 or M-LOK® compatible rails. Lightweight, this bright light can be used in close quarter combat or to identify medium range threats. Rugged, reliable and features a remote switch with momentary/constant on operation or a standard push-button switch. Easily replace batteries by unplugging the remote and removing tail cap - no connected wires. IP67-rated without the remote pressure switch installed; waterproof to 1m for 30 minutes. IP54-rated with the remote pressure switch installed.

	HIGH	LOW
<b>LUMENS:</b>	1,000	60
<b>CANDELA:</b>	50,000	3,100
<b>DISTANCE:</b>	447m	111m
<b>RUN TIME (CR123A):</b>	1.25h	21h
<b>RUN TIME (SL-B26):</b>	1.75h	24h

STROBE RUNS 2.5 HOURS (CR123A);  
3.5 HOURS (SL-B26)

**[(STROBE)]**  
Double tap  
switch to activate

The Jack-Cap® tail cap provides operational switch redundancy, featuring both a push-button switch and a port for a remote pressure switch.



**MULTI-FUEL DESIGN:**  
Runs on SL-B26 battery pack or CR123A lithium batteries



50,000 cd



**TEN-TAP®** Programmable -  
choose from three programs:

- high/strobe
- high only
- low/high

**BATTERY:** (2) CR123A lithium or (1) SL-B26 Li-Ion USB rechargeable battery pack  
**SIZE:** 5.43" x 1.45" x 1.72" (13.8 x 3.68 x 4.37 cm)  
**WEIGHT:** 6.6 oz. (187.1g) w/CR123A // 7.2 oz. (204.1g) w/SL-B26  
**COLOR:** Black

ITEM #	DESCRIPTION
88126	ProTac Rail Mount HL-X Pro - Includes Jack-Cap®, momentary remote switch, remote retaining clips, mounting hardware, M-LOK mount and lithium batteries
88127	ProTac Rail Mount HL-X Pro USB - Includes Jack-Cap®, momentary remote switch, remote retaining clips, mounting hardware, M-LOK mount, SL-B26 battery pack and USB cord
88128	ProTac Rail Mount HL-X Pro - Light only - Includes Jack-Cap®, M-LOK mount and lithium batteries
88129	ProTac Rail Mount HL-X Pro USB - Light only - Includes Jack-Cap®, M-LOK mount, SL-B26 battery pack and USB cord



**1,000  
LUMENS**

**PROTAC® RAIL MOUNT HL-X LASER LONG GUN LIGHT**

**WHITE LIGHT ILLUMINATOR / RED LASER**

The ProTac Rail Mount HL-X Laser features integrated red aiming laser with windage and elevation adjustments. It has unique functionality with its double switches: push button tailcap or remote pressure switch. Multi-fuel options: the USB rechargeable system includes our Streamlight SL-B26® protected Li-Ion USB rechargeable battery pack; the lithium battery version includes two CR123A lithium batteries. Each model includes all that you need to mount to your long gun.

	HIGH	LOW
<b>LUMENS:</b>	1,000	60
<b>CANDELA:</b>	18,200	1,100
<b>DISTANCE:</b>	270m	66m
<b>RUN TIME (CR123A):</b>	1.25h	20h
<b>RUN TIME (SL-B26):</b>	1.5h	23h
STROBE RUNS 2.5 HOURS (CR123A); 3.25 HOURS (SL-B26)		

**[(STROBE)]**  
Double tap  
switch to activate



**MULTI-FUEL DESIGN:**  
Runs on SL-B26 battery pack or CR123A lithium batteries



**TEN-TAP®** Programmable - choose from three programs:  
 • high/strobe  
 • high only  
 • low/high

**BATTERY:** (2) CR123A lithium or (1) SL-B26 Li-Ion USB rechargeable battery pack  
**SIZE:** 6.56" x 1.47" x 1.76" (16.7 x 3.73 x 4.47 cm)  
**WEIGHT:** 10.8 oz. (306.2g) w/ SL-B26 // 10.3 oz. (292g) w/ CR123A  
**COLOR:** Black



ITEM #	DESCRIPTION
88089	ProTac Rail Mount HL X Laser - Includes remote switch, tail switch, remote retaining clips, mounting hardware and (2) CR123A lithium batteries
88090	ProTac Rail Mount HL-X Laser USB - Includes remote switch, tail switch, remote retaining clips, mounting hardware, SL-B26 battery pack and micro-USB cord

# STREAMLIGHT LONG GUN LIGHT SERIES

## PROTAC® 2.0 RAIL MOUNT LONG GUN LIGHT

WHITE LIGHT ILLUMINATOR

	HIGH	LOW
<b>LUMENS:</b>	2,000	250
<b>CANDELA:</b>	17,700	2,150
<b>DISTANCE:</b>	266m	93m
<b>RUN TIME:</b>	2.5h	11h
STROBE RUNS 4.5 HOURS		

The high performance ProTac 2.0 Rail Mount produces 2,000 lumens without sacrificing run time. Powered by our proprietary SL-B50® protected Li-Ion rechargeable battery pack that charges inside the light using a USB-C cord - no need to remove from your weapon.

System includes remote rail grabber, remote pressure momentary switch, push-button tailcap switch and M-LOK® mount and mounting hardware. Tactical tailcap switch provides momentary & "constant on" operation. IP67-rated; dust-tight and waterproof to 1m for 30 minutes.



**[(STROBE)]**  
Double tap  
switch to activate

**2,000  
LUMENS**



Tail cap provides operational switch redundancy, featuring both a push-button switch and a port for a remote pressure switch.

**TEN-TAP®** Programmable - choose from three programs:

- high/strobe
- high only
- low/high

Powered by SL-B50 Li-Ion USB rechargeable battery pack. Recharges in 6 hours.



**BATTERY:** (1) SL-B50 protected Li-Ion USB rechargeable battery pack

**SIZE:** 6.3" x 1.46" x 1.02" (16 x 3.7 x 2.6 cm)

**WEIGHT:** 9.06 oz. (257g)

**COLOR:** Black



Slide sleeve back to access USB-C port; charges via USB-C cord

ITEM #	DESCRIPTION
89009	ProTac 2.0 Rail Mount - System - Includes straight momentary pressure switch, SL-B50 battery pack, mounting hardware, USB-C cord and M-LOK mount
88003	ProTac 2.0 Rail Mount - Light Only - Includes SL-B50 battery pack, USB-C cord and M-LOK mount

**PROTAC RAIL MOUNT ACCESSORIES**

DESCRIPTION	PART #	GOES WITH
CR123A Lithium Batteries - 2pk CR123A Lithium Batteries - 6pk CR123A Lithium Batteries - 12pk CR123A Lithium Batteries - 400pk	 85175 85177 85179 85180	ProTac Rail Mount 1, ProTac Rail Mount 2, ProTac Rail Mount HL-X, ProTac Rail Mount HL-X Pro, ProTac Rail Mount HL-X Laser
SL-B26 Li-Ion USB Battery Pack Charge Cradle <i>(Includes (2) SL-B26 battery packs and micro-USB cord)</i>	 22010 <i>See pgs 60-61 for more information</i>	ProTac Rail Mount HL-X, ProTac Rail Mount HL-X Pro, ProTac Rail Mount HL-X Laser
8-Unit Li-ion Bank Charger - 12V DC	 22010 <i>See pgs 60-61 for more information</i>	ProTac Rail Mount HL-X, ProTac Rail Mount HL-X Pro, ProTac Rail Mount HL-X Laser
120V AC USB Charge Cord	 22071	ProTac Rail Mount HL-X, ProTac Rail Mount HL-X Pro, ProTac Rail Mount HL-X Laser
SL-B26 Battery Packs - 1pk SL-B26 Battery Packs - 2pk SL-B26 Battery Packs - 8pk	 22101 22102 22105	ProTac Rail Mount HL-X, ProTac Rail Mount HL-X Pro, ProTac Rail Mount HL-X Laser
SL-B50 Battery Packs - 1pk SL-B50 Battery Packs - 2pk	 22111 22112	ProTac 2.0, ProTac 2.0 Rail Mount
40" (101.6 cm) Micro USB Cord 22" (55.88 cm) Micro USB Cord	 22070 22081	ProTac Rail Mount HL-X, ProTac Rail Mount HL-X Pro, ProTac Rail Mount HL-X Laser
22" (55.88 cm) USB-C Cord	 22084	ProTac 2.0, ProTac 2.0 Rail Mount
M-LOK® Mount	 88300	ProTac Rail Mount 1, ProTac Rail Mount 2 ProTac Rail Mount HL-X, ProTac Rail Mount HL-X Pro , ProTac 2.0 Rail Mount
Remote Retaining Clips	 88178	ProTac Rail Mount 1, ProTac Rail Mount 2 ProTac Rail Mount HL-X, ProTac Rail Mount HL-X Pro, ProTac 2.0 Rail Mount
Filters	 69115 (red) 69116 (blue) 69117 (green) 69118 (IR) 69124 (opaque)	ProTac Rail Mount 1 ProTac Rail Mount 2
Jack-Cap®	 88130	ProTac Rail Mount HL-X Pro
Remote Switch	 880175	ProTac Rail Mount 1, ProTac Rail Mount 2
Remote Switch	 880276	ProTac Rail Mount HL-X Laser
Straight Momentary Pressure Switch	 69135	ProTac Rail Mount HL-X Pro, ProTac 2.0 Rail Mount
Straight Latching Switch	 89008	ProTac Rail Mount HL-X Pro, ProTac 2.0 Rail Mount

STREAMLIGHT  
EDC SERIES

# EXTRAORDINARY Everyday Carry

//THRO MODE PROVIDES A BLAST OF 1,000 LUMENS

## WEDGE®

// NEW COLORS: NOW IN BLUE & PURPLE

The Wedge is a compact, high-performance EDC light designed for clean pocket carry. It's outfitted with an intuitive rotating thumb switch that provides tactile control over the constant-on and THRO® (Temporarily Heightened Regulated Output) modes. Made of rugged anodized aluminum with a waterproof USB-C port, the Wedge balances durability with performance.

	THRO	CONSTANT ON
<b>LUMENS:</b>	1,000	300
<b>CANDELA:</b>	3,000	1,200
<b>DISTANCE:</b>	110m	69m
<b>RUN TIME:</b>	35sec	3h



**BATTERY:** Lithium Polymer  
**SIZE:** 5.46" x 0.6" x 1" (13.87 x 1.52 x 2.54 cm)  
**WEIGHT:** 3.3 oz. (93.5g)  
**COLOR:** Black, Coyote, Blue or Purple



ITEM #	DESCRIPTION
88810	Wedge - Includes USB-C cord, lanyard - Black
88811	Wedge - Includes USB-C cord, lanyard - Coyote
88817	Wedge - Includes USB-C cord, lanyard - Blue
88818	Wedge - Includes USB-C cord, lanyard - Purple
22084	USB-C Cord - 22" (58.8 cm)

Battery charge indicator located in the on/off switch as seen in the image to the right.

Charge indication:  
Red – Charging // Green – Charged



## WEDGE® XT

The Wedge XT is an ultra-compact, high-performance EDC light engineered with a push-button tail switch for one-handed use.

The Wedge XT features a FIVE-TAP™ Lockout system, which prevents accidental activation inside your pocket or bag. Crafted from rugged anodized aluminum features a built-in waterproof USB-C port for use in virtually any weather condition.

	HIGH	LOW
LUMENS:	500	50
CANDELA:	1,900	200
DISTANCE:	87m	28m
RUN TIME:	2h	11h



Push-button tactical tail switch features constant on or momentary operation and Lockout mode



Another great addition to your EDC kit



**TEN-TAP™** Programmable - choose from two programs:  
 • high/low  
 • low/high



Proven waterproof USB-C port with charge indication LED:  
 Red – Charging; Green – Charged  
 Lithium-polymer battery charges in 6 hours



Comfortable, deep pocket carry

**BATTERY:** Lithium Polymer  
**SIZE:** 4.25" x 0.6" x 1" (10.8 x 1.52 x 2.54 cm)  
**WEIGHT:** 2.62 oz. (74.3g)  
**COLOR:** Black or Coyote

ITEM #	DESCRIPTION
88812	Wedge XT - Includes USB-C cord, lanyard - Black
88813	Wedge XT - Includes USB-C cord, lanyard - Coyote
22084	USB-C Cord - 22" (58.8 cm)





## PROTAC® 1L-1AA

The ProTac 1L-1AA is a perfect everyday carry light. This multi-fuel, ultra-compact flashlight accepts a single lithium or alkaline battery, providing you with ultimate flexibility in the field. Packaged with a removable pocket clip and holster. IPX7-rated; waterproof to 1m for 30 minutes; 2 meter impact-resistance tested.

CR123A	HIGH	LOW	AA	HIGH	LOW
<b>LUMENS:</b>	350	40	<b>LUMENS:</b>	150	40
<b>CANDELA:</b>	6,400	720	<b>CANDELA:</b>	2,750	720
<b>DISTANCE:</b>	160m	53m	<b>DISTANCE:</b>	105m	53m
<b>RUN TIME:</b>	1.5h	14h	<b>RUN TIME (ALK):</b>	1h 20m	7.5h
STROBE RUNS 3 HOURS			<b>RUN TIME (LITH):</b>	4.25h	14h
			STROBE RUNS 3.5 HOURS (ALK); 8 HOURS (LITH)		

### MULTI-FUEL DESIGN:

Runs on AA alkaline/lithium batteries or CR123A lithium batteries

**[(STROBE)]**

Double tap switch to activate



**TEN-TAP®** Programmable - choose from three programs:

- high/strobe/low
- high only
- low/high

**BATTERY:** (1) CR123A lithium or (1) "AA" alkaline/lithium

**SIZE:** 4.25" x 0.95" x 0.85" (10.8 x 2.41 x 2.16 cm)

**WEIGHT W/CR123A:** 2.5 oz. (71g)

**WEIGHT W/AA:** 2.8 oz. (79g) w/alkaline // 2.4 oz. (68g) w/lithium

**COLOR:** Black or Coyote

ITEM #	DESCRIPTION
88061	ProTac 1L-1AA - Includes lithium & AA alkaline battery & holster - Black
88073	ProTac 1L-1AA - Includes lithium & AA alkaline battery & holster - Coyote

## PROTAC® 2AA

Small enough to carry in a pocket, lightweight, yet extremely bright. TEN-TAP® programming for user selection of mode programs. IPX7-rated; waterproof to 1m for 30 minutes. 2 meter impact-resistance tested.

**BATTERY:** (2) "AA" alkaline

**SIZE:** 6.14" x 0.9" x 0.65" (15.60 x 2.29 x 1.65 cm)

**WEIGHT:** 3.4 oz. (96g)

**COLOR:** Black or Coyote

ITEM #	DESCRIPTION
88033	ProTac 2AA - Includes (2) "AA" alkaline batteries and holster - Black
88072	ProTac 2AA - Includes (2) "AA" alkaline batteries and holster - Coyote

	HIGH	LOW
<b>LUMENS:</b>	250	18
<b>CANDELA:</b>	4250	400
<b>DISTANCE:</b>	130m	40m
<b>RUN TIME:</b>	2h	43h
STROBE RUNS 4 HOURS		



**[(STROBE)]**

Double tap switch to activate

# A COMPLETE FAMILY OF TACTICAL LIGHTS

## PROTAC® 2L

The ProTac 2L is compact and lightweight, yet powerful, bright, with long run times and lots of important features. TEN-TAP® programming for user selection of mode programs. IPX7-rated; waterproof to 1m for 30 minutes. 2 meter impact-resistance tested. Maximum light output throughout battery life.

	HIGH	LOW
<b>LUMENS:</b>	350	30
<b>CANDELA:</b>	6,300	600
<b>DISTANCE:</b>	159m	49m
<b>RUN TIME:</b>	3.25h	35h
STROBE RUNS 6 HOURS		



**[(STROBE)]**  
Double tap  
switch to activate

- TEN-TAP®** Programmable - choose from three programs:
- high/strobe/low
  - high only
  - low/high

**BATTERY:** (2) CR123A lithium  
**SIZE:** 4.77" x 0.9" x 0.77" (12.12 x 2.29 x 1.96 cm)  
**WEIGHT:** 2.8 oz. (79g)  
**COLOR:** Black

ITEM #	DESCRIPTION
88031	ProTac 2L - Includes (2) lithium batteries and holster

## PROTAC HL®

This tactical flashlight has a far reaching beam to light up areas with a blinding 750 lumens. TEN-TAP® programming lets you choose the order of operating modes. IPX7-rated; waterproof to 1m for 30 minutes. 1 meter impact-resistance tested.

	HIGH	LOW
<b>LUMENS:</b>	750	35
<b>CANDELA:</b>	18,300	900
<b>DISTANCE:</b>	270m	60m
<b>RUN TIME:</b>	1.25h	18h
STROBE RUNS 2.5 HOURS		



**[(STROBE)]**  
Double tap  
switch to activate

- TEN-TAP®** Programmable - choose from three programs:
- high/strobe/low
  - high only
  - low/high

**BATTERY:** (2) CR123A lithium  
**SIZE:** 5.4" x 1.375" x 1" (13.72 x 3.49 x 2.54 cm)  
**WEIGHT:** 5.6 oz. (158g)  
**COLOR:** Black

ITEM #	DESCRIPTION
88040	ProTac HL - Includes (2) lithium batteries and holster



**PROTAC® 2AA-X USB // NEW**

The ProTac 2AA-X USB is a multi-fuel tactical light that can use either a proprietary Streamlight protected lithium polymer USB rechargeable battery pack (included) or two "AA" alkaline disposable batteries. It features a tactical tail cap switch for momentary or constant on operation and three different user selectable programs. Knurled body for a sure grip. Packaged with a removable pocket clip and holster.

LITHIUM POLYMER	HIGH	LOW
<b>LUMENS:</b>	550	40
<b>CANDELA:</b>	10,250	740
<b>DISTANCE:</b>	203m	54m
<b>RUN TIME:</b>	2.25h	16h
STROBE RUNS 4.5 HOURS		
ALKALINE	HIGH	LOW
<b>LUMENS:</b>	270	18
<b>CANDELA:</b>	5,000	400
<b>DISTANCE:</b>	141m	40m
<b>RUN TIME:</b>	2.5h	48h
STROBE RUNS 5 HOURS		



**[(STROBE)]**  
Double tap switch to activate

**MULTI-FUEL DESIGN:**  
Runs on lithium polymer battery pack or alkaline batteries

**TEN-TAP®** Programmable - choose from three programs:  

- high/strobe/low
- high only
- low/high

**BATTERY:** Lithium polymer USB rechargeable battery pack or (2) "AA" alkaline  
**SIZE:** 6" x 0.9" x 0.7" (15.3 x 2.3 x 1.8 cm)  
**WEIGHT:** 3.5 oz. (99g)  
**COLOR:** Black or Coyote

ITEM #	DESCRIPTION
88135	ProTac 2AA X USB- Includes lithium polymer battery pack, USB-C cord and holster - Black
88137	ProTac 2AA X USB- Includes lithium polymer battery pack, USB-C cord and holster - Coyote
88136	Protected lithium polymer USB-C rechargeable battery pack

**PROTAC® 2L-X USB // PROTAC® 2L-X**

The ProTac 2L-X is a multi-fuel tactical light that comes in two versions. The ProTac 2L-X USB is a rechargeable system that uses a Streamlight SL-B26 protected Li-Ion USB rechargeable battery pack. The ProTac 2L-X includes two CR123A lithium batteries.

Multi-battery versatility means the user can always use disposable batteries to power the light if the rechargeable is out of power and a charging source is not available. It features a tactical tail cap switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience. IPX7-rated; waterproof to 1m for 30 minutes; 1m impact-resistance tested.

	HIGH	LOW
<b>LUMENS:</b>	500	40
<b>CANDELA:</b>	6,800	600
<b>DISTANCE:</b>	165m	49m
<b>RUN TIME (CR123A):</b>	2.75h	30h
<b>RUN TIME (SL-B26):</b>	3.25h	30h
STROBE RUNS 3.25 HOURS (CR123A); 4.5 HOURS (SL-B26)		

**[(STROBE)]**  
Double tap switch to activate



**MULTI-FUEL DESIGN:**  
Runs on SL-B26 battery pack or CR123A lithium batteries

**TEN-TAP®** Programmable - choose from three programs:  

- high/strobe/low
- high only
- low/high

**BATTERY:** (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) CR123A lithium  
**SIZE:** 5.14" x 1.06" x 0.94" (13.0 x 2.7 x 2.4 cm)  
**WEIGHT:** 4.4 oz. (125g) w/SL-B26 // 3.9 oz. (111g) w/CR123A  
**COLOR:** Black

ITEM #	DESCRIPTION
88062	ProTac 2L-X - Includes (2) CR123A lithium batteries & holster - Clam
88063	ProTac 2L-X - Includes (2) CR123A lithium batteries & holster - Box
88082	ProTac 2L-X USB - Includes SL-B26 Battery Pack, micro USB cord and holster - Clam
88083	ProTac 2L-X USB - Includes SL-B26 Battery Pack, micro USB cord and holster - Box

**PROTAC® HL-X USB // PROTAC® HL-X**

The ProTac HL-X is a multi-fuel tactical light that comes in 2 versions. The ProTac HL-X USB is a rechargeable system that uses our Streamlight SL-B26 protected Li-Ion USB rechargeable battery pack with integrated USB charging port. The ProTac HL-X includes CR123A batteries.

Multi-battery versatility means the user can use disposable batteries to power the light if the rechargeable is out of power and a charging source is not available. It features a tactical tail cap switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience. IP68-rated; dust-tight and waterproof to 2 meters.

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,000	400	65
<b>CANDELA:</b>	27,100	10,000	1,600
<b>DISTANCE:</b>	330m	200m	80m
<b>RUN TIME (CR123A):</b>	1.25h	3h	20h
<b>RUN TIME (SL-B26):</b>	1.5h	3.5h	23h
STROBE RUNS 2.5 HOURS (CR123A); 3.25 HOURS (SL-B26)			



**HL®**

**1,000  
LUMENS**

**[(STROBE)]**  
Double tap  
switch to activate

**MULTI-FUEL DESIGN:**  
Runs on SL-B26  
battery pack or  
CR123A batteries

**TEN-TAP®** Programmable - choose  
from three programs:  
• high/strobe/low  
• high only  
• low/high

**BATTERY:** (1) SL-B26 Li-Ion USB rechargeable battery pack  
or (2) CR123A lithium  
**SIZE:** 5.43" x 1.44" x 1" (13.8 x 3.7 x 2.54 cm)  
**WEIGHT:** 6.2 oz. (176g) w/SL-B26 // 5.7 oz. (162g) w/CR123A  
**COLOR:** Black

ITEM #	NSN/MCN	DESCRIPTION	COO	TAA
95313	6230-01-626-6796	ProTac HL-X - Includes (2) CR123A lithium batteries & holster - Box	US	YES
88064	--	ProTac HL-X - Includes (2) CR123A lithium batteries & holster - Clam	--	--
88065	--	ProTac HL-X - Includes (2) CR123A lithium batteries & holster - Box	--	--
95314	--	ProTac HL-X USB - Includes SL-B26 Battery Pack, micro USB cord & holster - Box	US	YES
88084	--	ProTac HL-X USB - Includes SL-B26 Battery Pack, micro USB cord & holster - Clam	--	--
88085	--	ProTac HL-X USB - Includes SL-B26 Battery Pack, USB cord & holster - Box	--	--

**PROTAC® 90X USB // PROTAC® 90X**

The MULTI-FUEL ProTac 90X is an EDC light with a twist. It features a right-angle head that gives extra lighting capability for those with multiple lighting needs. Carry in your hand or attach to your MOLLE, belts, harnesses and other gear for hands-free use. IPX7-rated; waterproof to 1m for 30 minutes; 2m impact-resistance tested.

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,000	300	65
<b>CANDELA:</b>	7,350	2,060	450
<b>DISTANCE:</b>	171m	91m	42m
<b>RUN TIME (CR123A):</b>	2.5h	4h	21h
<b>RUN TIME (SL-B26):</b>	1.75h	4.75h	24h
STROBE RUNS 2.5 HOURS (CR123A); 3.5 HOURS (SL-B26)			

**1,000  
LUMENS**

**[(STROBE)]**  
Double tap  
switch to activate



**MULTI-FUEL DESIGN:**  
Runs on SL-B26 battery  
pack or CR123A lithium  
batteries

**TEN-TAP®** Programmable -  
choose from three programs:  
• high/strobe/low  
• high only  
• low/medium/high

**BATTERY:** (1) SL-B26 Li-Ion USB rechargeable battery pack  
or (2) CR123A lithium  
**SIZE:** 4.39" x 1.14" x 0.94" (11.1 x 2.9 x 2.4 cm)  
**WEIGHT:** 4.9 oz. (139g) w/SL-B26 // 4.4 oz. (125g) w/CR123A  
**COLOR:** Black

ITEM #	DESCRIPTION
88094	ProTac 90X - Includes (2) CR123A lithium batteries and holster
88095	ProTac 90X USB - Includes SL-B26 battery pack, micro USB cord and holster





**PROTAC HL® 5-X USB // PROTAC HL® 5-X**

The ProTac HL 5-X is a high-powered, multi-fuel tactical light available in 2 versions. The ProTac HL 5-X USB is a rechargeable system that uses two Streamlight SL-B26 protected Li-Ion USB rechargeable battery packs. The ProTac HL 5-X includes four CR123A batteries. Multi-battery versatility means the user can always use disposable batteries to power the light if the rechargeable is out of power and a charging source is not available. Features a "sure grip rubber sleeve" and includes lanyard ensure you'll never lose your grip.

**MULTI-FUEL DESIGN:**  
 Runs on SL-B26 battery pack or CR123A lithium batteries



**BATTERY:** (2) SL-B26 Li-Ion USB rechargeable battery packs or (4) CR123A lithium  
**SIZE:** 9.53" x 2.35" x 1.24" (23.65 x 5.97 x 3.15 cm)  
**WEIGHT:** 1 lb. 3.4 oz. (550g) w/SL-B26 // 1 lb. 2.4 oz. (522g) w/CR123A  
**COLOR:** Black

ITEM #	DESCRIPTION
88074	ProTac HL 5-X - Includes (4) lithium batteries & wrist lanyard - Clam
88075	ProTac HL 5-X - Includes (4) lithium batteries & wrist lanyard - box
88080	ProTac HL 5-X USB - Includes (2) SL-B26 battery packs, "Y" micro USB cord and lanyard - Clam
88081	ProTac HL 5-X USB - Includes (2) SL-B26 battery packs, "Y" micro USB cord and lanyard - Box



**[(STROBE)]**  
 Double tap switch to activate

**TEN-TAP®** Programmable - choose from three programs:  
 • high/strobe/low  
 • high only  
 • low/medium/high

SL-B26	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	3,500	1,000	250
<b>CANDELA:</b>	51,000	14,100	3,620
<b>DISTANCE:</b>	452m	237m	120m
<b>RUN TIME:</b>	1.25h	3h	11.5h
STROBE RUNS 1.25 HOURS			
CR123A	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	2,500	1,000	250
<b>CANDELA:</b>	37,000	14,100	3,620
<b>DISTANCE:</b>	385m	237m	120m
<b>RUN TIME:</b>	1.5h	2.5h	10.5h
STROBE RUNS 1.5 HOURS			

## PROTAC® HPL USB

A versatile USB rechargeable tactical light designed for down range applications. Multi-battery versatility means you can use disposable batteries to power the light when a charging source is not available. It features a tail cap switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience. IPX4-rated; water-resistant .

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,000	400	65
<b>CANDELA:</b>	35,000	14,100	2,250
<b>DISTANCE:</b>	374m	237m	95m
<b>RUN TIME:</b>	1.5h	3.5h	24h
STROBE RUNS 3 HOURS			



**[(STROBE)]**  
Double tap  
switch to activate

**TEN-TAP®** Programmable -  
choose from three programs:  
• high/strobe/low  
• high only  
• low/medium/high

**BATTERY:** Lithium-ion (included), SL-B26 battery pack  
or (2) CR123A lithium  
**SIZE:** 7.08" x 1.72" x 1.07" (18 x 4.38 x 2.7 cm)  
**WEIGHT:** 9.24 oz. (262g)  
**COLOR:** Black

ITEM #	DESCRIPTION
88076	ProTac HPL USB - Includes micro USB cord and holster - Clam
88077	ProTac HPL USB - Includes micro USB cord and holster - Box

## PROTAC HL® USB

The ProTac HL USB features multiple power source capability; it includes a rechargeable lithium-ion battery; also accepts Streamlight SL-B26 rechargeable lithium-ion battery or two CR123A batteries. An anti-rattle battery compartment keeps batteries securely and quietly in place without using a separate battery carrier. TEN-TAP programming lets you choose the selection of operating modes. IPX4-rated; water-resistant.

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,000	380	65
<b>CANDELA:</b>	12,000	4,420	700
<b>DISTANCE:</b>	219m	133m	53m
<b>RUN TIME:</b>	1.5h	3.5h	23h
STROBE RUNS 1.5 HOURS			



**[(STROBE)]**  
Double tap  
switch to activate



**TEN-TAP®** Programmable -  
choose from three programs:  
• high/strobe/low  
• high only  
• low/medium/high

**BATTERY:** Lithium-ion (included), SL-B26 battery pack  
or (2) CR123A lithium  
**SIZE:** 6.50" x 1.23" x 1.07" (16.5 x 3.1 x 2.7 cm)  
**WEIGHT:** 7.2 oz. (204g)  
**COLOR:** Black

ITEM #	DESCRIPTION
88052	ProTac HL USB - Includes micro USB cord and holster
88054	ProTac HL USB - 120V AC/12V DC Includes micro USB cord and holster

# SL-B26<sup>®</sup> BATTERY PACK

## THE BATTERY THAT REINVENTS RECHARGEABILITY



### TURN YOUR HIGH-PERFORMANCE LIGHTS INTO RECHARGEABLE SYSTEMS

You know how you make the best performing, brightest lights in the business even better? Simple. Give users multiple ways to power and charge them. Introducing our SL-B26<sup>®</sup> Protected Lithium-Ion USB Rechargeable Battery Pack with integrated charging port. Charges by USB cord, or optional charge cradle. Flexibility for however and wherever you use your light.

### SL-B26<sup>®</sup> PROTECTED LITHIUM-ION USB RECHARGEABLE BATTERY PACK

The battery that transforms multi-fuel, high-performance lighting tools into rechargeable systems. USB rechargeable - Features micro-USB input and charge status indicators; charges in 5 hours. Integrated safety circuit protects battery from overcharge. Charge via USB source or optional charge cradle - or bank charger for departmental use. The charge cradle is ideal for storage as well as to charge your batteries.

- BATTERY CAPACITY:** 2600mAh SL-B26 protected Li-Ion USB rechargeable battery pack
- BATTERY SIZE:** 2.75" x 0.744" (7 x 1.89 cm)
- BATTERY WEIGHT:** 1.7 oz. (48g)
- CRADLE SIZE:** 4.5" (11.4 cm)
- CRADLE WEIGHT:** 2.4 oz. (68g)



Features integrated USB port.  
Charge status LEDs:  
Red = charging      Green = charged



USB Rechargeable 2600mAh SL-B26 Lithium-Ion Battery — Charges in 5 hours.

ITEM #	DESCRIPTION
22101	SL-B26 Li-Ion USB rechargeable battery pack- 1Pk
22102	SL-B26 Li-Ion USB rechargeable battery pack- 2Pk
22104	SL-B26 Li-Ion USB rechargeable battery pack- 2Pk - Box
22105	SL-B26 Li-Ion USB rechargeable battery pack- 8Pk
22100	Li-ion Charge Cradle
22010	Li-ion Rechargeable Battery Kit - Includes Micro USB cord & (2) SL-B26 battery packs
22011	Li-ion Rechargeable Battery Kit - 120V AC - Includes (2) SL-B26 battery packs
22070	40" (101 cm) micro USB Cord
22081	22" (55.88 cm) micro USB Cord



Charger temperature safety circuit prevents damage to batteries while charging.

# MULTI-FUEL LIGHTING SYSTEMS



Vantage®  
180 X USB



ProTac®  
HL-X USB



ProTac  
90° X USB



PolyTac®  
X USB



ProTac®  
2L-X USB



ProTac HL®  
5-X USB



Survivor® X USB

## ALSO WORKS WITH:

SL-B26 battery pack sold separately. Available as system that includes lithium-ion battery #74175 (also used in Strion series).



ProTac® HL USB Headlamp



ProTac® HL® USB



ProTac® HPL USB

# ORGANIZE, STORE AND CHARGE YOUR SL-B26® BATTERIES

## EIGHT-UNIT SL-B26 BANK CHARGER

Charge up to eight batteries with Streamlight's lithium-ion battery bank charger. Each charge bay securely holds the battery in place - ideal for mounting on trucks. Low-profile housing (1"; 2.54 cm) requires minimal mounting area.

Charge time = 5.25 hours

Charge indicators over each battery:

- Red = charging
- Green = charged

Charges with or without optional charge cradle. Use the charge cradle for storage as well as to charge your batteries.

**BATTERY CAPACITY:** 8

**SIZE:** 10.45" x 4.75" x 1" (26.54 x 12.06 x 2.54 cm)

**WEIGHT WITHOUT BATTERIES:** 7.61 oz. (216g)

**WEIGHT WITH BATTERIES:** 20.88 oz. (592g)



### NFPA

Meets requirements of NFPA 1900-11.1.11.2 (2024); mounted in upright position

ITEM #	DESCRIPTION
20221	8-Unit Li-Ion Bank Charger - 120V AC
20220	8-Unit Li-Ion Bank Charger - 12V DC
20224	8-Unit Bank Charger - with SL-B26 battery packs - 120V AC
20223	8-Unit Bank Charger - with SL-B26 battery packs - 12V DC
44909	120V AC Cord
44923	12V DC Cord



120V AC  
Charge Cord



12V DC Charge Cord

**PROTAC® 2.0**

The high performance ProTac 2.0 produces 2,000 lumens without sacrificing run time. Powered by one SL-B50® protected Li-Ion rechargeable battery pack that charges inside the light using a USB-C cord. IP67-rated; dust-tight and waterproof to 1m for 30 minutes.

**BATTERY:** (1) SL-B50 protected Li-Ion USB rechargeable battery pack  
**SIZE:** 6.1" x 1.46" x 1.02" (15.5 x 3.7 x 2.6 cm)  
**WEIGHT:** 8.25 oz. (234g)  
**COLOR:** Black

ITEM #	DESCRIPTION
89000	ProTac 2.0 - Includes SL-B50 battery pack, USB-C cord and nylon holster

**TEN-TAP®** Programmable - choose from three programs:

- high/strobe/low
- high only
- low/medium/high

**[(STROBE)]**  
 Double tap switch to activate



Slide sleeve back to access USB-C port.

SL-B50 battery pack charges in 6 hours.

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	2,000	570	100
<b>CANDELA:</b>	17,300	5,000	890
<b>DISTANCE:</b>	262m	142m	60m
<b>RUN TIME:</b>	2.5h	4.5h	25h
STROBE RUNS 4 HOURS 25 MINUTES			



## SL-B50® PROTECTED LITHIUM-ION USB RECHARGEABLE BATTERY PACK

The Streamlight proprietary SL-B50 protected Li-Ion rechargeable battery pack, with on-board safety control circuit, is designed for select Streamlight products. It features a built in USB-C port and charge status indicator; charges in 6 hours.

**BATTERY CAPACITY:** 4900mAh SL-B50 protected Li-Ion USB rechargeable battery pack

**BATTERY SIZE:** 3.26" x 0.905" (8.28 x 2.3 cm)

**BATTERY WEIGHT:** 3 oz. (85g)



USB-C Cord



Features integrated USB port.  
Charge status LEDs:



CHARGING CHARGED

USB Rechargeable 4900mAh SL-B50  
Lithium-Ion Battery — Charges in 6 hours.

ITEM #	DESCRIPTION
22111	SL-B50 Li-Ion USB rechargeable battery pack- 1Pk
22112	SL-B50 Li-Ion USB rechargeable battery pack- 2Pk
22084	22" (55.88 cm) USB-C Cord

## WORKS WITH:



ProTac® 2.0  
Headlamp



ProTac® 2.0



ProTac® 2.0  
Rail Mount



**POLYTAC® X USB // POLYTAC® X**

This multi-fuel tactical light allows the user to use disposable batteries to power the light if the rechargeable battery pack is out of power and can't be charged. Superior grip texture for a comfortable/slip-resistant feel. TEN-TAP programming lets you choose the order of operating modes. IPX7-rated; waterproof to 1m for 30 minutes. Maximum light output throughout battery life.

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	600	260	35
<b>CANDELA:</b>	11,485	4,930	675
<b>DISTANCE:</b>	205m	135m	50m
<b>RUN TIME [CR123A]:</b>	2.75h	5.5h	34h
<b>RUN TIME [SL-B26]:</b>	3.5h	5.75h	36h

STROBE RUNS 5.5 HOURS (CR123A);  
8 HOURS (SL-B26)

**[(STROBE)]**  
Double tap  
switch to activate

**TEN-TAP®** Programmable -  
choose from three programs:

- high/strobe/low
- high only
- low/medium/high



**MULTI-FUEL DESIGN:**  
Runs on SL-B26  
battery pack or  
CR123A batteries



**BATTERY:** (1) SL-B26 Li-Ion USB rechargeable battery pack or  
(2) CR123A lithium  
**SIZE:** 5.46" x 1.25" x 1" (13.87 x 3.18 x 2.54 cm)  
**WEIGHT:** 4.9 oz. (139g) w/SL-B26 // 4.4 oz. (125g) w/CR123A  
**COLOR:** Black, Yellow or Coyote

**NFPA**  
Meets requirements of  
NFPA 1971-8.6 (2018);  
500° heat resistance test

CLAM	BOX	DESCRIPTION	COO	TAA
88600	88603	PolyTac X - Includes (2) CR123A lithium batteries - Black	US	YES
88601	88604	PolyTac X - Includes (2) CR123A lithium batteries - Yellow	US	YES
88602	88605	PolyTac X - Includes (2) CR123A lithium batteries - Coyote	US	YES
88610	88613			
<b>NSN/MCN</b>		PolyTac X USB - Includes SL-B26 Battery Pack & micro USB cord - Black	--	--
6230-01-690-0331	6230-01-692-9761			
88611	88614	PolyTac X USB - Includes SL-B26 Battery Pack & micro USB cord - Yellow	--	--
88612	88615	PolyTac X USB - Includes SL-B26 Battery Pack & micro USB cord - Coyote	--	--

## PROTAC // POLYTAC ACCESSORIES

ITEM	PART #	GOES WITH
CR123A Lithium Batteries - 2pk CR123A Lithium Batteries - 6pk CR123A Lithium Batteries - 12pk CR123A Lithium Batteries - 400pk	 85175 85180 85177 85179	ProTac 1L-1AA, ProTac 2L, ProTac 2L-X, ProTac HL, ProTac HL-X, ProTac HL USB, ProTac HPL USB, ProTac HL 5-X, PolyTac X
SL-B26 Battery Pack	 See Page 60-61 for more information	ProTac HL USB, ProTac HPL USB, ProTac HL-X, ProTac 2L-X, ProTac HL 5-X, PolyTac X
40" (101.6 cm) Micro USB Cord 22" (55.88 cm) Micro USB Cord	 22070 22081	ProTac HL USB, ProTac HPL USB, ProTac HL-X USB, ProTac 2L-X USB, ProTac HL 5-X USB, PolyTac X USB
SL-B50 Battery Pack - 1pk SL-B50 Battery Pack - 2pk	 22111 22112	ProTac 2.0
22" (55.88 cm) USB-C Cord	 22084	ProTac 2.0, Wedge, Wedge XT
"Y" Micro USB Cord	 22082	ProTac HL 5-X USB
Nylon Holster	 88037 88036	ProTac 1L-1AA ProTac 2L
Nylon Holster	 88038 88043 88086	ProTac 2AA ProTac HL ProTac 2.0
Nylon Holster	 85905	PolyTac X
Nylon Holster	 85909	PolyTac X
Tactical Holster	 88051	ProTac HL, ProTac HL USB
Flip Lens - Red Flip Lens - Blue Flip Lens - Green Flip Lens - IR	 85115 85116 85117 74039	PolyTac X
Safety Wand	 88057	ProTac HL, ProTac HL X, ProTac 2.0
Helmet Mount	 68085	PolyTac
Rubber Helmet Strap	 99075	PolyTac X

**STRION LED HL® // STRION® DS HL**

The Strion LED HL provides a high lumen beam with maximum illumination. Its wide beam pattern gives you a bright flood light that will light up the area around you. IPX4-rated; water-resistant. Fits long gun mounts.

**STRION LED HL**

**BATTERY:** Lithium-ion  
**SIZE:** 5.90" x 1.25" x 0.95"  
(14.99 x 3.18 x 2.41 cm)  
**WEIGHT:** 5.2 oz. (148g)  
**COLOR:** Black

**STRION DS HL**

**BATTERY:** Lithium-ion  
**SIZE:** 6.33" x 1.25" x 0.95"  
(16.08 x 3.18 x 2.41 cm)  
**WEIGHT:** 5.4 oz. (153g)  
**COLOR:** Black

**STRION® LED // STRION® DS**

A powerful value that's perfect for the broadest range of lighting needs. IPX4-rated; water-resistance. Anti-roll ring included. Optional model with adjustable Grip Ring provides a sure-grip for easy one-handed operation.

**STRION LED**

**BATTERY:** Lithium-ion  
**SIZE:** 5.9" x 1.25" x 0.95"  
(14.99 x 3.18 x 2.41 cm)  
**WEIGHT:** 5.2 oz. (148g)  
**COLOR:** Black

**STRION DS**

**BATTERY:** Lithium-ion  
**SIZE:** 6.4" x 1.25" x 0.95"  
(16.26 x 3.18 x 2.41 cm)  
**WEIGHT:** 5.4 oz. (153g)  
**COLOR:** Black

STRION LED HL	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	615	320	160
<b>CANDELA:</b>	12,000	6,000	3,000
<b>DISTANCE:</b>	219m	155m	110m
<b>RUN TIME:</b>	1.25h	2.5h	4.5h

STROBE RUNS 3 HOURS

STRION LED	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	375	175	80
<b>CANDELA:</b>	12,000	6,500	3,200
<b>DISTANCE:</b>	219m	161m	113m
<b>RUN TIME:</b>	2.5h	4.75h	9.5h

STROBE RUNS 6.5 HOURS



**[(STROBE)]**  
Double tap  
switch to activate

STRION DS HL	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	700	300	40
<b>CANDELA:</b>	12,000	5,000	800
<b>DISTANCE:</b>	219m	141m	57m
<b>RUN TIME:</b>	1.25h	3.5h	24h

STROBE RUNS 2.5 HOURS

DS model features **TEN-TAP®** programmable switch that allows user selection of one of three different programs:

- High/medium/low with strobe [factory default]
- High only without strobe
- High/medium/low without strobe



**[(STROBE)]**  
Double tap  
switch to activate

STRION DS	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	375	150	40
<b>CANDELA:</b>	12,000	5,000	1,300
<b>DISTANCE:</b>	219m	141m	72m
<b>RUN TIME:</b>	2.5h	6.25h	24h

STROBE RUNS 5 HOURS

DS model features **TEN-TAP®** programmable switch that allows user selection of one of three different programs:

- High/medium/low with strobe [factory default]
- High only without strobe
- High/medium/low without strobe

ITEM #	DESCRIPTION
74752	Strion LED HL - 120V AC/12V DC - 2 Holders
74612	Strion DS HL - 120V AC/12V DC - 2 Holders

ITEM #	NSN/MCN	DESCRIPTION
74301	--	Strion LED - 120V AC/12V DC - 1 Holder
74311	6230-01-595-1946	Strion LED - 230V AC/12V DC - 1 Holder
74411	--	Strion DS - 120V AC/12V DC - 1 Holder

**STRION® 2020** **NEW**

The Strion 2020 features independently functioning head and tail switches along with an intuitive mode select switch for ease of use. Select high for brightest light or low for extended run time. Long-lasting, lithium-ion rechargeable battery offers multiple charging options using existing Strion® smart chargers and bank chargers. IPX7-rated; waterproof to 1m. Corrosion-resistant sealed glass lens. Fits long gun mounts.

**BATTERY:** Lithium-ion  
**SIZE:** 6.33" x 1.25" x 0.95" (16.1 x 3.18 x 2.41 cm)  
**WEIGHT:** 5.7 oz. (161.6g)  
**COLOR:** Black

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,200	460	120
<b>CANDELA:</b>	28,000	10,000	3,000
<b>DISTANCE:</b>	335m	200m	110m
<b>RUN TIME:</b>	1.75h	5.5h	12h

STROBE RUNS 3.5 HOURS



**[(STROBE)]**  
 Double tap  
 switch to activate



Independently functioning  
 head and tail switches



Battery status indicator:  
 Green = Charged  
 Red = Needs to be charged



Mode intensity switch for easy  
 selection of High, Medium or Low

**STRION ACCESSORIES**

DESCRIPTION	STRION / STRION DS LED HL	STRION / STRION DS	STRION 2020
6 Unit Bank Charger 120V	74400	74400	74400
6 Unit Bank Charger DC	74401	74401	74401
Piggyback Charger Holder	74115	74115	---
Smart Charger Holder	74102	74102	74102
Li-ion Battery Stick Strion Series	74175	74175	---
Li-ion Battery Stick Strion 2020	74436	74436	74436
12V DC1 Charge Cord	22051	22051	22051
12V DC2 Charge Cord	22050	22050	22050
120V USB Charge Cord	22071	22071	22071
Rail Mount	74200	74200	74200
Vertical Grip	69114	69114	69114
Leather Plain Holster	74059	74059	74059
Leather Weave Holster	74060	74060	74060
Nylon Holster	85905	85905	85905
Tactical Holster	88051	88051	88051
Red Flip Lens	85115	85115	85115
Green Flip Lens	85117	85117	85117
Blue Flip Lens	85116	85116	85116
Red Wand	74903	74903	74903
Yellow Wand	74904	74904	74904
Glow in the Dark Wand	74913	74913	74913

ITEM #	DESCRIPTION
74431	Strion 2020 - 120V/12V DC
74432	Strion 2020 - 230V/12V DC
74434	Strion 2020 - 12V DC
74435	Strion 2020 - (Without Charger)



## STINGER® 2020

The next evolution in high-performance, duty-ready flashlights. Its aluminum alloy body with textured side panels and anti-roll design is ergonomically shaped for a sure grip. It features dual power switches and an intuitive mode selector switch for ease of use. Select high for brightest light or low for extended run time. Long-lasting SL-B26® USB rechargeable battery packs offer multiple charging options using existing Stinger smart chargers and bank chargers to charge inside the light; use a dual USB cord to charge the battery pack outside the light or a Li-ion battery bank charger to charge multiple batteries at once. IPX7-rated; waterproof to 1m submersion, corrosion-resistant sealed glass lens.

**BATTERY:** (2) SL-B26 Li-Ion USB rechargeable battery packs

**SIZE:** 7.67" x 1.62" (19.48 x 4.11 cm)

**WEIGHT:** 12.3 oz. (350g)

**COLOR:** Black

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	2,000	850	100
<b>CANDELA:</b>	25,000	10,000	1,200
<b>DISTANCE:</b>	315m	200m	70m
<b>RUN TIME:</b>	2h	4h	24h

STROBE RUNS 3.25 HOURS

  
**2,000**  
**LUMENS**



**[(STROBE)]**  
Double tap  
switch to activate



Independently functioning  
head and tail switches



ITEM #	DESCRIPTION	COO	TAA
78101	Stinger 2020 - 120V/12V DC	US	YES
78102	Stinger 2020 - 230V/12V DC	US	YES
78103	Stinger 2020 - 240V/12V DC	US	YES
78104	Stinger 2020 - 12V DC	US	YES
78100	Stinger 2020 - Light Only - Includes "Y" micro USB cord	US	YES



Mode switch for easy selection of  
High, Medium or Low



Uses two SL-B26 protected Li-Ion USB  
rechargeable battery packs

**STINGER LED HL® // STINGER DS LED HL®**



The Stinger LED HL provides 800 lumens of maximum illumination. Its wide beam pattern gives you a bright flood light that will light up the area around you. Rubberized comfort grip. IPX4-rated; water-resistant.

**STINGER LED HL**

**BATTERY:** NiMH Rechargeable  
**SIZE:** 8.41" x 1.62" x 1.17"  
(21.36 x 4.11 x 2.97 cm)  
**WEIGHT:** 12.4 oz. (352g)  
**COLOR:** Black

**STINGER DS LED HL**

**BATTERY:** NiMH Rechargeable  
**SIZE:** 8.85" x 1.62" x 1.17"  
(22.48 x 4.11 x 2.97 cm)  
**WEIGHT:** 12.8 oz. (364g)  
**COLOR:** Black

ITEM #	NSN/MCN	DESCRIPTION	COO	TAA
95301	--	Stinger LED HL - Light Only	US	YES
95302	6230-01-413-5270	Stinger DS LED HL - 120V AC/12V DC - 2 Holders	US	YES

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	800	400	200
<b>CANDELA:</b>	24,000	12,000	6,000
<b>DISTANCE:</b>	310m	219m	155m
<b>RUN TIME:</b>	1.5h	2.5h	5h

STROBE RUNS 3 HOURS

**[(STROBE)]**  
Double tap  
switch to activate



Available in both  
Dual Switch and  
Standard styles

**STINGER® LED // STINGER DS® LED**

The Stinger LED and Stinger DS LED deliver the optimal balance of performance and value with the longest run time in the Stinger family. The DS model provides both a tailcap and head switch. IPX4-rated; water-resistant.

**STINGER LED**

**BATTERY:** NiMH Rechargeable  
**SIZE:** 8.41" x 1.62" x 1.17"  
(21.36 x 4.11 x 2.97 cm)  
**WEIGHT:** 12.4 oz. (352g)  
**COLOR:** Black

**STINGER DS LED**

**BATTERY:** NiMH Rechargeable  
**DS SIZE:** 8.85" x 1.62" x 1.17"  
(22.48 x 4.11 x 2.97 cm)  
**DS WEIGHT:** 12.8 oz. (364g)  
**COLOR:** Black

ITEM #	NSN/MCN	DESCRIPTION	COO	TAA
95304	--	Stinger LED - 120V AC/12V DC	US	YES
95307	--	Stinger LED - 230V AC/12V DC	US	YES
95303	6230-01-628-6642	Stinger LED - 12V DC	US	YES
95306	--	Stinger DS LED - 120V AC/12V DC	US	YES
95305	6230-01-492-9009	Stinger DS LED - 12V DC	US	YES

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	425	200	100
<b>CANDELA:</b>	26,000	12,000	6,000
<b>DISTANCE:</b>	322m	219m	155m
<b>RUN TIME:</b>	3h	5.5h	10h

STROBE RUNS 7.5 HOURS

**[(STROBE)]**  
Double tap  
switch to activate



Available in both  
Dual Switch and  
Standard styles

**STINGER® COLOR-RITE®**

The Stinger Color-Rite features a warm white 90 CRI LED (3,000K) with Color-Rite Technology® that produces a more natural light so you can detect objects more easily. Reduced glare prevents eye fatigue and helps cut through murky atmospheres. Ideal for low-light tracking and detecting trace evidence. IPX4-rated; water-resistant.

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	500	275	140
<b>CANDELA:</b>	17,500	9,000	4,500
<b>DISTANCE:</b>	265m	190m	134m
<b>RUN TIME:</b>	1.5h	2.5h	5h
STROBE RUNS 3 HOURS			
COLOR TEMPERATURE: 3,000K			

**BATTERY:** NiMH Rechargeable  
**SIZE:** 8.41" x 1.62" x 1.17" (21.36 x 4.11 x 2.97 cm)  
**WEIGHT:** 12.4 oz. (352g)  
**COLOR:** Black

ITEM #	DESCRIPTION	COO	TAA
75496	Stinger Color-Rite - 120V AC/12V DC PiggyBack	US	YES
75497	Stinger Color-Rite - Light Only	US	YES



**Color-  
Rite®**

**[(STROBE)]**  
 Double tap  
 switch to activate



Independently functioning  
 head and tail switches



**STINGER ACCESSORIES**

DESCRIPTION	STINGER 2020	STINGER COLOR-RITE	DS LED HL LED HL	DS HPL HPL	DS LED LED
5 Unit Bank Charger 120V AC NSN/MCN:6130-01-577-0543	 75400	75400	75400	75400	75400
5 Unit Bank Charger 230V AC NSN/MCN:6130-01-548-0435	75600	75600	75600	75600	75600
Smart Charger NSN/MCN: 6130-01-443-9415	 75105	75105	75105	75105	75105
PiggyBack® Charger	 —	75277	75277	75277	75277
NiMH Battery Stick	 —	75375	75375	75375	75375
Li-Ion Battery Stick	 —	75176	75176	75176	75176
SL-B26 Battery Pack	 78105	—	—	—	—
12V DC Car Charge Cord	 22051	22051	22051	22051	22051
12V DC Charge Cord	 22050	22050	22050	22050	22050
120V AC Charge Cord	 22071	22071	22071	22071	22071
Leather Plain Holster	 —	75133	75133	—	75133
Leather Weave Holster	 78114	75134	75134	—	75134
Nylon Holster	 —	75927	75927	75927	75927
Nylon Holster	 78107	—	—	—	—
Loop Nylon Holster	 —	75928	75928	75928	75928
Duty Holster	 —	88053	88053	88053	88053
Ring Holder	 —	75906	75906	75906	75906
Flip Lens Red	 75115	75115	75115	—	75115
Blue	75116	75116	75116	—	75116
Green	75117	75117	75117	—	75117
Red Wand	 75903	75903	75903	75946	75903
White Wand	 75908	75908	75908	75949	75908
Blue Wand	 75902	75902	75902	75947	75902
Yellow Wand	 75904	75904	75904	75948	75904
Glow in the Dark Wand	 75913	75913	75913	75950	75913
Micro USB Cord	 22081 - 22" 22070 - 40"	—	—	—	—
"Y" Micro USB Cord	 22082	—	—	—	—
12V DC USB Adapter	 22069	—	—	—	—
Facecap Ring Kit	 78113	—	—	—	—

# // COLOR-RITE TECHNOLOGY®

## // WHAT IS COLOR-RITE TECHNOLOGY?

Color-Rite Technology is based on the Color Rendering Index (CRI) -- a scale from 0-100 that indicates how a light source reflects color variations as they appear to the human eye. The higher the CRI, the more vibrant the colors appear. On the scale, lights that measure 90+ are considered "high" CRI lights and are critical for tasks requiring the most accurate color discrimination. A perfect 100 would enable us to see colors as they appear in natural sunlight.

## // WHY STREAMLIGHT COLOR-RITE TECHNOLOGY?

Flashlights equipped with Streamlight's proprietary Color-Rite Technology allow users to see the color spectrum as they would in natural light. While a standard high-lumen LED light produces an ultra-bright white beam that is needed in many applications, it prevents seeing subtle color differences in, for example, auto body paint colors or electrical wiring. In contrast, a high CRI light provides a softer, warmer beam to prevent color "washout," allowing the user to see specific colors or imperfections and subtle details, regardless of the task.

## // COLOR-RITE® APPLICATIONS FOR EVERY SITUATION

Streamlight offers a family of Color-Rite® lights for situations that require detailed inspections or color differentiation. For markets as diverse as automotive, industrial, law enforcement, military and even outdoor recreation, we have developed high CRI lights with Color-Rite Technology® for a wide variety of tasks that require exacting attention to detail. From repairing electrical wires to inspecting paint finishes or examining forensic evidence, count on Streamlight's Color-Rite® products help get the job done efficiently and safely.

Our family of Color-Rite® products include the following:



### STINGER® COLOR-RITE®

Rechargeable, warm white (3,000K)  
90 CRI LED with Streamlight's Color-Rite Technology



### DUALIE® 3AA COLOR-RITE®

Intrinsically safe multi-function dual beam flashlight with a cool white LED and a warm white (4,000K) 90 CRI LED with Streamlight's Color-Rite Technology



### STINGER SWITCHBLADE®

Five lights in one:  
Drop Light | Hands-Free | White Light |  
Color-Rite Light (4,000K) | UV Light



### STRION SWITCHBLADE®

Five lights in one:  
Drop Light | Hands-Free | White Light |  
Color-Rite Light (4,000K) | UV Light



### SYCLONE®

Ultra-compact work light with a cool white LED and a warm white (4,000K) 90 CRI LED with Streamlight's Color-Rite Technology



### FLIPMATE®

Compact work light with cool white LEDs and warm white (4,000K) 90 CRI LEDs with Streamlight's Color-Rite Technology - each with high and low modes

# // A LIGHT FOR EVERY SITUATION

## // COLOR-RITE® APPLICATIONS BY MARKET

### LAW ENFORCEMENT/MILITARY

- **Improve tracking in low-light conditions.** High CRI lights like the Stinger Color-Rite help border patrol and other law enforcement agencies reveal subtle details of tracks and other markings that white LEDs with their bright “hot spots” can miss.
- **Detect trace evidence.** Forensic teams can more clearly spot fingerprints, fibers and other trace evidence on glass and other slick surfaces with high CRI lights such as the Stinger Color-Rite.
- **Enhance visualization.** High CRI lights can help cut through murky lake or ocean water, thick smoke or fog, and even heavy dust when pursuing vehicles in rough terrain.

### AUTOMOTIVE

- **Match and identify colors.** The Dualie 3AA Color-Rite, FlipMate, Stinger Switchblade, Syclone and Strion Switchblade are ideal for color matching and identifying body imperfections before and after paint repairs.
- **Identify defects.** Paint defects such as swirl marks and color sanding scratches are easily identifiable with high CRI LEDs.
- **Distinguish colors.** When troubleshooting electrical short circuits or other motor vehicle repairs, high CRI lights assist in differentiating colored wires in hard-to-see areas under a hood or carriage.
- **Reduce glare when working in tight spaces.** Because high CRI LEDs reflect back less light than bright white LEDs, mechanics can see greater detail when working in dark, hard-to-reach places underneath a car or under the hood.



### INDUSTRIAL

- **Differentiate wire colors in electrical panels.** In plants and other facilities, high CRI lights like the Dualie 3AA Color-Rite, FlipMate and Syclone provide better color contrast of intricate wires in electrical cabinets, helping technicians to work more efficiently.
- **Spot imperfections.** High CRI lights allow for contrast of color to identify imperfections in finish inspections of products, including parts.
- **Reduce eye fatigue.** The soft lighting of high CRI LEDs reduces eye strain and fatigue for many users.

### FIRE/RESCUE/EMS

- When responding to fires, accidents or other events under low light conditions, high CRI area lights such as the Dualie 3AA Color-Rite, Stinger Switchblade, and Stinger Color-Rite can be essential tools, permitting first responders to **see the color spectrum as they would in natural daylight.**
- High CRI lights also allow investigators to **see specific colors, imperfections and subtle details** when examining fire or accident scenes and gathering evidence.

### OUTDOOR RECREATION

- **Identify blood trails.** State-of-the-art blood trailing technology in high CRI lights, such as the Stinger Color-Rite, reduce certain colors in the spectrum to better amplify blood trails.
- **Visualize in low-light conditions.** Hikers and other outdoor enthusiasts use high CRI lights like the Dualie 3AA Color-Rite to better see obstacles when navigating trails at night and under other low-light conditions.

# STREAMLIGHT WORK LIGHT SERIES

## STINGER SWITCHBLADE®

The Stinger Switchblade rechargeable area light is five lights in one: a droplight, hands-free light, UV light, bright white light and a warm white (4000K) high CRI light with Streamlight's Color-Rite Technology®. The blade of the Switchblade can rotate 180° on the body. Soft detents will hold the blade in your preferred angle, and the light will stand on its tail with the light bar in any position. There are multiple ways to hook and hang the light. Use the hooks on the base plate or the retractable hook for many hanging options. The weighted base also includes magnets that will hold the light (in any orientation) to provide task-specific illumination.



**BATTERY:** Lithium-Ion  
**SIZE:** Folded 9.80" x 1.62" x 1.40" (24.89 x 4.11 x 3.56 cm) //  
 Extended 17" x 1.62" x 1.40" (43.18 x 4.11 x 3.56 cm)  
**WEIGHT:** 17.1 oz. (485g)  
**COLOR:** Red



ITEM #	DESCRIPTION
76801	Stinger Switchblade - 120V AC - 1 Holder
76800	Stinger Switchblade - with micro USB cord

	COOL WHITE	HIGH CRI (90) WARM WHITE	UV LED
<b>LUMENS:</b>	800	600	500 mW
<b>RUN TIME:</b>	3.75h	3.75h	15 h
COLOR TEMPERATURE: 4,000K			



**HANDS-FREE APPLICATIONS:**  
 Tail-end magnet, stowable hang hook and stable foot

## ACCESSORIES

5 Unit Bank Charger		75400
Charger		75105
Li-Ion Battery Stick		76805
12V DC Car Charge Cord		22051
12V DC Charge Cord		22050
120V AC Charge Cord		22071
Micro USB Cord		22081 - 22" 22070 - 40"
12V DC USB Adapter		22069



**DUAL CHARGING OPTIONS:**  
 Charge using existing Stinger chargers or charge via USB source

### DOUBLE-SIDED LIGHT BAR:

- 90 CRI LEDs - Color-Rite Technology - warm white light (4000K) allows you to distinguish between similar colors - for paint matching, checking wires, etc.
- Cool white LEDs for bright, white light
- UV LED for leak detection



## STRION SWITCHBLADE®

Inspect, identify and repair with the Strion Switchblade. It's five lights in one: a droplight, hands-free light, UV light, bright white light and a warm white (4000K) high CRI light with Streamlight's Color-Rite Technology®. Lithium-ion battery charges in 4 hours. Charge using existing Strion chargers or USB source. You can work harder for longer with the PiggyBack® charger and easy-to-change battery - just twist off the endcap, replace and go.

**BATTERY:** Lithium-Ion  
**SIZE:** Folded length: 6" (15.24 cm) // Extended length: 10.75" (27.3 cm)  
**WEIGHT:** 6.4 oz. (181g)  
**COLOR:** Red

ITEM #	DESCRIPTION
74850	Strion Switchblade - with micro USB cord
74851	Strion Switchblade - 120V AC - 1 Holder
74854	Strion Switchblade - 120V AC PiggyBack



180° rotating light bar aims the beam where you need it.

**Color-Rite®**



**HANDS-FREE APPLICATIONS:**  
Tail-end magnet, stowable hang hook and stable foot



**MULTIPLE CHARGING OPTIONS:**  
Charge using PiggyBack® Chargers, existing Strion chargers or charge via USB source

	COOL WHITE	HIGH CRI (90) WARM WHITE	UV LED
<b>LUMENS:</b>	500	400	500 mW
<b>RUN TIME:</b>	3h	3h	5h
COLOR TEMPERATURE: 4,000K			



## ACCESSORIES

6 Unit Bank Charger 120V		74400
6 Unit Bank Charger DC		74401
PiggyBack Charger Holder		74115
Charger Holder		74102
Li-ion Battery Stick		74175
12V DC1 Charge Cord		22051
12V DC2 Charge Cord		22050
120V USB Charge Cord		22071



### DOUBLE-SIDED LIGHT BAR:

- 1.) 90 CRI LEDs - Color-Rite Technology - warm white light (4000K) allows you to distinguish between similar colors - for paint matching, checking wires, etc.
- 2.) Cool white LEDs for bright, white light
- 3.) UV LED for leak detection

**SYCLONE®**

Inspect, identify and repair with the Syclone. It produces bright white light for everyday use or warm white (4,000K) high CRI light with Streamlight's Color-Rite Technology® for paint matching or identifying color differences in wires. Ultra-compact design doesn't get in the way and fits in small spaces. Go hands-free with the flat, magnetic base and stowable hook. USB rechargeable. 360° rotating body aims the beam where you need it; easy to rotate with one hand - no need to juggle tools.

**BATTERY:** Lithium Polymer Rechargeable  
**SIZE:** 2.97" x 2.79" x 1.42" (7.54 x 7.08 x 3.60 cm)  
**WEIGHT:** 5.3 oz. (150g)  
**COLOR:** Red



Multi-function push-button switch with charge indicator.  
 Battery charges in approx. 4.5 hours

ITEM #	DESCRIPTION
61510	Syclone - Includes micro USB cord

**Color-  
Rite®**



Hands-free applications:  
 1.) Magnetic base  
 2.) Stowable hang hook



SPOT/COOL WHITE	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	400	200	100
<b>DISTANCE:</b>	141m	95m	72m
<b>RUN TIME:</b>	2h	4.5h	9.5h

FLOOD/WARM WHITE 90 CRI	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	300	150	75
<b>DISTANCE:</b>	48m	35m	24m
<b>RUN TIME:</b>	2h	4h	8h

COLOR TEMPERATURE: 4,000K

**SYCLONE® JR.**

Inspect, identify and repair with the Syclone Jr. It produces bright white light for everyday use. Ultra-compact design doesn't get in the way and fits in small spaces. Go hands-free with the flat, magnetic base and stowable hook. USB rechargeable. 360° rotating body aims the beam where you need it; easy to rotate with one hand - no need to juggle tools.

**BATTERY:** Lithium Polymer Rechargeable  
**SIZE:** 2.04" x 2.25" x 1.14" (5.18 x 5.71 x 2.89 cm)  
**WEIGHT:** 2.0 oz. (57g)  
**COLOR:** Red



Hands-free applications:  
 1.) Magnetic base  
 2.) Stowable hang hook



	HIGH	LOW
<b>LUMENS:</b>	210	85
<b>DISTANCE:</b>	79m	49m
<b>RUN TIME:</b>	3.75h	8.5h



Multi-function push-button switch with charge indicator.  
 Battery charges in approx. 4.5 hours

ITEM #	DESCRIPTION
61530	Syclone Jr. - Includes micro USB cord

**FLIPMATE®**

Inspect, identify and repair with the super-compact Flipmate. It produces bright white light for everyday use or warm white (4,000K) high CRI light with Streamlight's Color-Rite Technology to identify color differences in paint or wires. Fits comfortably in the palm of your hand, allowing you to illuminate hard-to-get-to spaces, like under the dash. Go hands-free with the flat, magnetic base and stowable hook. USB rechargeable.



270° rotating light bar aims the beam where you need it



Hands-free applications:  
1.) Magnetic base  
2.) Stowable hang hook  
3.) Foot provides stability to stand on end

**BATTERY:** Lithium Ion  
**SIZE:** Folded length: 4.58" (11.63 cm) // Extended length: 7.94" (20.17 cm)  
**WEIGHT:** 8.7 oz. (247g)  
**COLOR:** Black, Red or Blue

ITEM #	DESCRIPTION
61500	Flipmate - Includes micro USB cord - Black
61501	Flipmate - Includes micro USB cord - Red
61502	Flipmate - Includes micro USB cord - Blue

**Color-Rite®**

COOL WHITE	HIGH	LOW
<b>LUMENS:</b>	500	250
<b>RUN TIME:</b>	4h	5.75h

90 CRI WARM WHITE	HIGH	LOW
<b>LUMENS:</b>	400	200
<b>RUN TIME:</b>	4h	6h
COLOR TEMPERATURE: 4,000K		



Double-function light bar:

- 1.) 90 CRI LEDs - Color-Rite Technology - distinguish between similar colors - for paint matching, checking wires, etc.
  - 2.) Cool white LEDs for bright, white light
- Each with high and low modes



# STREAMLIGHT WORK LIGHT SERIES

## BEARTRAP® 360 **NEW**

Inspect, identify and repair with the multi-function BearTrap 360 work light featuring a 360° rotating and 270° pivoting body. It produces bright white light in both spot and flood modes. Flood fills your work area with evenly dispersed, bright light; Spot provides a concentrated beam - each with high, medium and low modes.

Go hands-free - it clamps virtually anywhere or stands on its own, allowing you to illuminate hard-to-reach spaces like under the dash; also features a magnetic base. Rubberized grip surface designed to prevent scratches.

Tough thermoplastic construction. Chemical-resistant lens - withstands most common automotive chemicals. IPX4-rated; water resistant; 1m impact-resistance tested.

FLOOD	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	2,000	1,000	575
<b>CANDELA:</b>	1,200	680	360
<b>DISTANCE:</b>	69m	52m	38m
<b>RUN TIME:</b>	2.5h	5h	8.75h


  

SPOT	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,000	450	325
<b>CANDELA:</b>	7,500	3,600	2,500
<b>DISTANCE:</b>	174m	120m	100m
<b>RUN TIME:</b>	4.5h	8.75h	12.5h

**BATTERY:** Lithium Ion  
**SIZE:** 7.62" x 6.5" x 3.12" (19.36 x 16.51 x 7.93 cm)  
**WEIGHT:** 2 lbs. 5 oz. (1049g)  
**COLOR:** Red



  
2,000  
LUMENS



ITEM #	DESCRIPTION
61523	BearTrap 360 - 120V/100V AC
44922	120V AC Cord
44923	12V DC Cord
61522	Lithium-Ion Battery





## SUPER SIEGE®

The Super Siege rechargeable scene light/work lantern provides 360° of bright light that illuminates an entire scene. A rechargeable lithium-ion battery supplies the power to charge your Streamlight flashlights, smartphones and tablets. Remove the globe cover and hang the Super Siege upside down by its D-ring for large area lighting needs. Use the Glare Guard™ to shield light from 1/2 the globe for up-close task lighting. Set it to SOS mode for emergency situations. Working in a grueling environment? No problem! Its rubber base keeps it stable on slippery or uneven surfaces, and a watertight storage compartment keeps small items dry. IPX7-rated; waterproof to 1m. It floats.

**BATTERY:** Lithium-ion  
**SIZE:** 3.8" x 7.5" (9.65 x 19.05 cm)  
**WEIGHT:** 1 lb. 14 oz. (867.62g)  
**COLOR:** Coyote or Yellow



Magnetic  
Accessory Base

WHITE	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,100	550	125
<b>RUN TIME:</b>	5.75h	11.5h	36.25h
RED	HIGH	SOS	LOW
<b>LUMENS:</b>	2.7	2.7	1
<b>RUN TIME:</b>	140h	320h	348h

**[[ (RED SOS) ]]**  
 Hold on/off button  
to activate

**1,100  
LUMENS**



Rechargeable lithium-ion battery supplies power to the lantern as well as gives you the ability to recharge your electronic devices from the USB port.

ITEM #	DESCRIPTION
44947	Super Siege - 120V AC - Coyote
44945	Super Siege - 120V AC - Yellow
44909	120V AC Charge Cord
44950	Glare Guard™
44951	Magnetic Base - Black



A small storage area is provided in the light's base for all your "keep dry" needs.

**THE SIEGE®**

The Siege is brighter, more durable, and much more versatile than other emergency/camping lanterns. It's bright enough to light up a whole campsite. It runs for over 30 hours on high and over 12 days on low! Its handle and D-rings allow you to hang it or clip it almost anywhere, upright or inverted. It has 3 white light settings, a red light for softer, less intense light, and an SOS mode. Remove the top for brighter light. Battery indicator flashes to alert you to low battery. Waterproof to 1m; it floats.

**BATTERY:** (3) "D" Alkaline  
**SIZE:** 3.8" x 7.25" (9.65 x 18.41 cm)  
**WEIGHT:** 1 lb. 15 oz. (878.83g)  
**COLOR:** Coyote

WHITE	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	540	275	55
<b>RUN TIME:</b>	30h	70h	295h
RED	HIGH	SOS	
<b>LUMENS:</b>	10	10	
<b>RUN TIME:</b>	235h	430h	

**[(RED SOS)]**  
 Hold on/off button  
 to activate



ITEM #	DESCRIPTION
44931	The Siege
44950	Glare Guard™
44952	Magnetic Base - Black

Magnetic  
Accessory Base



Shown with  
outer globe  
removed.



**SIEGE® AA**

The Siege AA features white LED and red LEDs for scene lighting, low level lighting or SOS mode. There are five output modes and a battery level indicator built into the power button. With the outer lantern globe in place, the Siege AA will float. Remove the outer globe and hang the body upside down by the D-ring for large area lighting needs. Battery replacement is a breeze with the center post orienting the battery cover correctly every time.

WHITE	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	200	100	50
<b>RUN TIME:</b>	7h	15.5h	37h
RED	HIGH	SOS	
<b>LUMENS:</b>	0.7	0.7	
<b>RUN TIME:</b>	192h	288h	

The yellow Siege AA has three strong magnets in the base making it a versatile, hands-free work light that can be attached to steel surfaces.

**[(RED SOS)]**  
 Hold on/off button  
 to activate

**BATTERY:** (3) "AA" Alkaline  
**SIZE:** 2.37" x 5.44" (6 x 13.82 cm)  
**WEIGHT:** 8.8 oz. (249.47g) // 9.1 oz. (257.98g) w/Magnet  
**COLOR:** Coyote or Yellow

ITEM #	DESCRIPTION
44941	Siege AA - Coyote
44943	Siege AA - Yellow with magnetic base
44942	Magnetic Base - Coyote



Optional magnetic base  
for hands-free work.



**PORTABLE SCENE LIGHT  
PORTABLE SCENE LIGHT EXT**

The Portable Scene Light provides rapid deployment on site, and it goes anywhere. With its 90° swivel neck, it's easy to shine light into the most out-of-the-way place. The head extends to 72" within seconds. It provides 3 levels of lighting and substantial run time to last through several shifts, even days. The unique diffuser lets you select a flood or spot beam in all three levels. It's designed to adapt to tight spaces, but rugged enough to be stable in wide open terrain or steps. Regulated light provides consistent output throughout the life of the battery.

**PORTABLE SCENE LIGHT**

**BATTERY:** Zero-maintenance, sealed lead acid  
Can also be powered by 12V DC power cord  
**SIZE:** 22.5" x 6.7" x 11" (55.88 x 17 x 27.9 cm)  
**WEIGHT:** 25 lbs. (11.3kg)  
**COLOR:** Yellow



**PORTABLE SCENE LIGHT EXT**

**BATTERY:** Zero-maintenance, sealed lead acid  
Can also be powered by 12V DC power cord  
**SIZE:** 25.5" x 6.7" x 11" (64.8 x 17 x 27.9 cm)  
**WEIGHT:** 25.5 lbs. (11.6kg)  
**COLOR:** Yellow

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	5,300	2,500	1,300
<b>CANDELA:</b>	42,000	21,300	11,600
<b>DISTANCE:</b>	410m	292m	215m
<b>RUN TIME:</b>	4h	9h	18h



**Special Features:**

- Full deployment in 30 seconds
- Designed to resist 40 mph wind continuous in all directions with head fully extended
- Unlimited run time using AC/DC power source
- IP67-rated; dust-tight and waterproof to 1m for 30 minutes
- Stabilization legs provide balance on uneven surfaces

ITEM #	NSN/MCN	DESCRIPTION	COO	TAA
45670	6230-01-652-4311	Portable Scene Light - 120V AC/12V DC	US	YES
45680	---	Portable Scene Light EXT - 120V AC/12V DC	US	YES

**PORTABLE SCENE LIGHT II**



  
**10,000**  
**LUMENS**



	100%	80%	60%	40%	20%
<b>LUMENS:</b>	10,000	8,300	6,300	4,500	2,300
<b>RUN TIME:</b>	2h	2.75h	3.75h	5.75h	11h

Turn to a higher power with the cordless and compact Portable Scene Light II. 18 LEDs produce 10,000 lumens to light up the entire scene. With zero deployment time, it features a compact footprint, 360° rotating head and it's stackable for "light tower" capability with multi-level lighting. High-impact thermoplastic housing mounted in a virtually indestructible alloy steel frame. Hooked feet for hanging over doors, guard rails, fences, etc. Unlimited run time using AC/DC power source; batteries will continue to charge while in use. IPX7-rated; waterproof to 1m for 30 minutes.

**BATTERY:** Lithium-ion Rechargeable  
**SIZE:** 16" x 11" x 12" (40.6 x 27.9 x 30.5 cm)  
**WEIGHT:** 15.56 lbs. (7.06kg)  
**COLOR:** Red

ITEM #	DESCRIPTION
46000	Portable Scene Light II - 120V AC/12V DC

**FIRE VULCAN® LED**

This lightweight lantern features two ultra-bright blue taillight LEDs that help you be seen even in thick smoke. It is IPX7-rated; waterproof to 1m for 30 minutes, and it floats! Programmable light functions let you control the order in which the modes come on. Other features include an unbreakable, scratch-resistant, O-ring sealed lens and a quick-release shoulder strap.

**BATTERY:** Lithium-ion Rechargeable  
**SIZE:** 7.5" x 5" x 6.5" (19.05 x 12.7 x 16.51 cm)  
**WEIGHT:** 1.85 lbs. (839g)  
**COLOR:** Orange

	HIGH	LOW
<b>LUMENS:</b>	180	80
<b>CANDELA:</b>	100,000	45,000
<b>RUN TIME:</b>	5h	10h



Ultra-bright blue tail light LEDs make certain you can be seen, even in thick smoke.



Class I, Div. 2, Groups A, B, C, D;  
Class II, Div. 2, Groups F, G;  
Class III T-Code: T4



Charging rack meets requirements  
of NFPA 1900-11.1.11.2 (2024)  
mounted in any position

ITEM #	DESCRIPTION
44450	Fire Vulcan LED - 120V AC/12V DC - Includes quick release shoulder strap
44460	Fire Vulcan LED - 120V AC/12V DC - Includes Berry strap & mounting rack
44454	Fire Vulcan LED - Without Charger - Includes quick release shoulder strap



## SCENE LIGHT/LANTERN ACCESSORIES

DESCRIPTION		PART #	GOES WITH
Standard Charge Rack - Black Vehicle Mounting Rack - Black		44103 44132	Fire Vulcan LED
12V DC (Car Socket) Charge Cord		22051	Fire Vulcan LED
12V DC Charge Cord		22050	Fire Vulcan LED
12V DC Charge Cord (10 ft/3m)		22056	Portable Scene Light, Portable Scene Light EXT, Portable Scene Light II
120V AC Charge Cord NSN/MCN: 5950-01-449-9029		22060	Fire Vulcan LED
230V AC Charge Cord NSN/MCN: 6130-01-538-4937		22061	Fire Vulcan LED
Power Supply 120V AC Charge Cord		22083 22074	Portable Scene Light, Portable Scene Light EXT, Portable Scene Light II
Battery (Sealed Lead Acid)		45630	Portable Scene Light, Portable Scene Light EXT
Battery (Lithium-Ion)		44610	Fire Vulcan LED
Battery (Lithium-Ion)		46005	Portable Scene Light II
Quick Release Strap		44050	Fire Vulcan LED
Heavy Duty Strap		45232	Fire Vulcan LED
Heavy Duty Strap with Carabiner Lock		45677	Portable Scene Light, Portable Scene Light EXT

# STREAMLIGHT SCENE LIGHT/LANTERN SERIES

## WAYPOINT®

	HIGH	LOW
<b>LUMENS:</b>	550	40
<b>CANDELA:</b>	100,000	7,900
<b>DISTANCE:</b>	625m	178m
<b>RUN TIME:</b>	10h	82h

12V DC POWER CORD - UNLIMITED RUN TIME  
EMERGENCY SIGNAL: RUNS 82 HOURS



Integrated stand for hands-free lighting



Trigger style switch with momentary operation

Use the ultra-bright, long-distance beam of the Waypoint as a spotlight to illuminate far-off objects. This pistol grip light has a trigger-style switch, as well as an integrated stand so that you can set it down for hands-free lighting. It's the perfect tool for inspections or looking for addresses or any other objects you can't get close to easily. IPX4-rated; water-resistant.

**BATTERY:** 4 "C" batteries (not included).  
Can also be powered by 12V DC power cord (included)  
**SIZE:** 6.75" x 7.14" x 3.5" (17.15 x 18.14 x 8.89 cm)  
**WEIGHT:** 1.8 lbs. (816g)  
**COLOR:** Yellow or Black



12V DC power cord for unlimited run time (does not charge batteries)



Polymer storage mount (included)

Green Filter reduces shadows



Red Filter preserves night vision

## WAYPOINT® 400

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	1,400	600	38
<b>CANDELA:</b>	400,000	165,000	10,000
<b>DISTANCE:</b>	1,265m	812m	200m
<b>RUN TIME:</b>	3.25h	7.5h	84h



400,000 cd



1,265m



The rechargeable Waypoint 400 produces a far-reaching beam that reaches into corners and illuminates high ceilings and other out-of-reach places. IPX8-rated; waterproof to 2m and it floats. High, medium and low modes provide the right amount of light and run time needed to complete your task. An integrated stand for hands-free area lighting. Recharges in 4 hours.

**BATTERY:** Lithium-Ion with on-board safety control circuit  
**SIZE:** 6.75" x 7.14" x 3.62" (17.15 x 18.14 x 9.2 cm)  
**WEIGHT:** 1.52 lbs. (691g)  
**COLOR:** Yellow or Black



120V AC Charge Cord



Int'l AC Charge Cord



Optional 12V DC Charge Cord



Polymer storage mount (included)

Green Filter reduces shadows



Red Filter preserves night vision

ITEM #	DESCRIPTION
44900	Waypoint - Includes 12V DC power cord - Box - Yellow
44902	Waypoint - Includes 12V DC power cord - Box - Black
44904	Waypoint - Includes 12V DC power cord - Clam - Yellow
44905	Waypoint - Includes 12V DC power cord - Clam - Black
44908	Polymer Storage Mount
44903	12V DC Power Cord*
44924	Red Filter
44925	Green Filter

\*12V DC power cord does not charge batteries

ITEM #	NSN/MCN	DESCRIPTION
44910	---	Waypoint 400 - 120V AC - Yellow
44911	---	Waypoint 400 - 120V AC - Black
44920	---	Waypoint 400 - 230/240V AC - Yellow
44921	6230-01-686-3335	Waypoint 400 - 230/240V AC - Black
44918	---	Polymer Storage Mount
44909	---	120V AC Cord
44919	---	Int'l AC Cord
44923	---	12V DC Power Cord
44915	---	Red Filter
44916	---	Green Filter



THE MOST TRUSTED RIGHT ANGLE LIGHT  
**THIN, BRIGHT &  
 EXTREMELY  
 VERSATILE  
 SURVIVOR**

**SURVIVOR®**



This leading Class I, Div. 1 right angle flashlight features a slim profile, a D-ring for accurate light orientation and a spring-loaded clip that grabs onto your gear. Four lighting modes include high, low, flash, and moonlight (for low-level lighting to preserve batteries). IPX4-rated; water-resistant. Unbreakable, scratch-resistant polycarbonate lens. Push-button switch is designed for easy operation even with heavy gloves.

- BATTERY:** Rechargeable NiMH battery pack; also accepts (4) "AA" Alkaline batteries
- SIZE:** 7.06" x 2.85" x 2.87" (17.92 x 7.24 x 7.29cm)
- WEIGHT:** Alkaline -13.7 oz. (388g) // NiMH - 18 oz. (510g)
- COLOR:** Orange, Yellow or Black



ORANGE	YELLOW	BLACK	DESCRIPTION
90503			
NSN/MCN	90513	90523	Survivor - 120V AC/12V DC
6230-01-389-5866			
90500	90510	90520	Survivor - Without Charger
90540	90541	90545	Survivor - Alkaline



Low profile design

	HIGH	LOW
<b>LUMENS:</b>	175	60
<b>CANDELA:</b>	41,000	14,000
<b>DISTANCE:</b>	405m	237m
<b>RUN TIME (NIHM):</b>	3.5h	13h
<b>RUN TIME (ALK):</b>	4h	15h

MOONLIGHT MODE: RUNS 20 DAYS  
 FLASH RUNS 8 HOURS



Class I, II, Div. 1, Groups C, D, E, F, G;  
 Class I, Div. 2, Groups A, B, C, D;  
 Class III, T-Code: T4

**NFPA**

Flashlight meets 500°F requirements of NFPA 1971-8.6 (2018)

**NFPA**

Charger meets requirements of NFPA 1900-11.1.11.2 (2024) mounted in any position



Permissible Flashlight, Approval No. 20-A150001-0 (Alkaline model)

**SURVIVOR® X USB**

The Survivor X USB provides budget-friendly rechargeability combined with added features and increased output. Uses an SL-B26® battery pack that is easily interchangeable with alkaline batteries as a backup on-scene. IP67-rated; dust-tight and waterproof to 1m for 30 minutes; 2m impact resistance tested. Lightweight design because we understand that when carrying a lot of gear, every ounce counts. Class I, Div. 2 safety-rated.

	HIGH	LOW
LUMENS:	250	60
CANDELA:	50,000	14,000
DISTANCE:	447m	237m
RUN TIME (SL-B26):	4h	15h
RUN TIME (ALK):	5h	15h
FLASH RUNS 8 HOURS		

**BATTERY:** USB rechargeable SL-B26 battery pack; also accepts (3) "AA" alkaline  
**SIZE:** 7.06 in. x 2.85" x 2.32" (17.9 x 7.24 x 5.89 cm)  
**WEIGHT:** Alkaline - 12.8 oz. (363g) // SL-B26 - 11.9 oz. (337g)  
**COLOR:** Orange or Yellow

ORANGE	YELLOW	DESCRIPTION
90044	90244	Survivor X USB - Includes SL-B26 battery pack & micro USB cord

Note: The Survivor X is not compatible with legacy Survivor chargers.

**SURVIVOR® X**

The Survivor X provides added features and increased output. Uses lithium-ion battery pack that is easily interchangeable with Alkaline batteries as a backup on-scene. IP67-rated; dust-tight and waterproof to 1m for 30 minutes; 2m impact-resistance tested. Lightweight design because we understand that when carrying a lot of gear, every ounce counts. Class I, Div. 1 safety-rated.

	HIGH	LOW
LUMENS:	250	60
CANDELA:	50,000	14,000
DISTANCE:	447m	237m
RUN TIME (LI-ION):	3.75h	15h
RUN TIME (ALK):	5h	15h
FLASH RUNS 8 HOURS		

**BATTERY:** USB rechargeable lithium-ion battery pack; also accepts (3) "AA" alkaline  
**SIZE:** 7.06" x 2.85" x 2.32" (17.9 x 7.24 x 5.89 cm)  
**WEIGHT:** Alkaline - 12.8 oz. (363g) // Li-ion - 12.2 oz. (346g)  
**COLOR:** Orange or Yellow

ORANGE	YELLOW	DESCRIPTION
90952	90962	Survivor X - 120V/100V AC/12V DC
90950	90960	Survivor X - Alkaline

Note: The Survivor X is not compatible with legacy Survivor chargers.



Class I, II, Div. 2, Groups A, B, C, D, F, G; Class III, T-Code: T4

**NFPA**

Flashlight meets 500°F requirements of NFPA 1971-8.6 (2018)

**NFPA**

Charger meets requirements of NFPA 1900-11.1.11.2 (2024) mounted in any position



Class I, II, Div. 1, Groups A, B, C, D, E, F, G; Class III, T-Code: T3/T4

**NFPA**

Flashlight meets 500°F requirements of NFPA 1971-8.6 (2018)

**NFPA**

Charger meets requirements of NFPA 1900-11.1.11.2 (2024) mounted in any position



Strong spring-loaded clip securely grabs onto belts and gear; D-ring provides forward hanging orientation



**Battery life indicator in switch:**

- Green indicates full charge
- Turns red when battery is nearing low voltage
- Flashes red continuously when 15 minutes left of battery life

## SURVIVOR SERIES ACCESSORIES

DESCRIPTION	SURVIVOR	SURVIVOR X	SURVIVOR X USB
5 Unit 120V AC Bank Charger 5 Unit 12V DC Bank Charger 	90910 90912	90910 90912	---
Li-Ion Bank Charger 120V AC Li-Ion Bank Charger 12V DC 	---	20224 20223	20224 20223
Charger 	90345	90345	---
Lithium-Ion Battery 	---	90341	---
NiMH Battery 	90339	---	---
Alkaline/SL-B26 Battery Cartridge (Batteries not included) 	---	90342	90342
Alkaline Battery Cartridge 	90542	---	---
SL-B26 Battery Pack 	---	---	22101 - 1 pk 22105 - 8 pk
12V DC1 Charge Cord 	22051	22051	---
12V DC2 Charge Cord 	22050	22050	---
120V AC Charge Cord NSN/MCN: 5950-01-449-9029 	22060	22060	---
230V AC Charge Cord NSN/MCN: 6130-01-538-4937 	22061	22061	---
40" (101.6 cm) USB Cord 22" (55.88 cm) USB Cord 	---	22070 22081	22070 22081

Note: The Survivor X is not compatible with legacy Survivor chargers.

**VANTAGE® 180 X**

The multi-function Vantage 180 X is a helmet mounted light, right angle light and a hand-held flashlight. Easily attaches above or below the brim of most helmets providing a bright main white LED and blue safety taillight. Quickly detaches for hand-held and clip-on right angle light with white taillight and downcast light to see what's at your feet. IPX7-rated; waterproof.



Head articulates 180° to aim the beam.



Use as a helmet light. Easily attaches above or below brim. No tools necessary to quickly remove for use as a hand-held flashlight

**BATTERY:** (2) CR123A lithium batteries  
**SIZE:** 5.2" x 1.6" x 1.06" (13.20 x 4.06 x 2.69 cm)  
**WEIGHT:** 5.5 oz. (156g)  
**COLOR:** Orange or Black

ORANGE	BLACK	DESCRIPTION
88901	88903	Vantage 180 X - Includes lithium batteries

**VANTAGE®**

The solution to firefighters' hands-free lighting needs. Attaches easily to helmets and hard hats and rotates 360°. Fits snugly against helmet to prevent snags. Includes a bright blue tail light so you can be seen from behind even in heavy smoke. Easy to operate with gloves. IPX7-rated; waterproof to 1m for 30 minutes. Fits both traditional and modern helmets.

**BATTERY:** (2) CR123A lithium  
**SIZE:** 3.26" x 1.47" x 2.56" (8.28 x 3.73 x 6.5 cm)  
**WEIGHT:** 5.14 oz. (145.7g)  
**COLOR:** Black

**NFPA**

Meets requirements of NFPA 1971-8.6 (2018); 500° heat resistance test

ITEM #	NSN/MCN	DESCRIPTION
69140	6230-01-616-8786	Vantage - Includes (2) CR123A lithium batteries



	HIGH	LOW
<b>LUMENS:</b>	250	100
<b>CANDELA:</b>	7,200	2,650
<b>DISTANCE:</b>	170m	103m
<b>RUN TIME:</b>	4h	12h

**NFPA**

Meets requirements of NFPA 1971-8.6 (2018); 500° heat resistance test



Includes "quick release" helmet bracket and hex key.

Rear LED Taillight changes from blue to white:  
 - Blue LED for helmet mount use and visibility in heavy smoke  
 - White LED for a downcast flood light to see what's at your feet; switches from blue when head is at a 90° angle



<b>LUMENS:</b>	115
<b>CANDELA:</b>	7,000
<b>DISTANCE:</b>	167m
<b>RUN TIME:</b>	6h



470nm ultra-bright taillight LED

**PROTAC® 2.0 HEADLAMP**

	HIGH	MEDIUM	LOW
<b>LUMENS:</b>	2,000	650	110
<b>CANDELA:</b>	14,500	4,200	750
<b>DISTANCE:</b>	241m	130m	55m
<b>RUN TIME:</b>	2.25h	4.5h	25h



Metal sleeve protects the USB-C port. Slide to the right to access.  
SL-B50 charges in the light directly via USB-C port battery pack.  
Charges in 6 hours



**TEN-TAP®** Programmable - choose from three programs:  
• high/med/low  
• high only  
• low/high

The high-performance ProTac 2.0 headlamp produces 2,000 lumens without sacrificing run time. Powered by an SL-B50® protected Li-Ion rechargeable battery pack with onboard safety control circuit that charges inside the light using a USB-C cord. TEN-TAP® Programmable switch. IP64-rated; dust-tight and water resistant.

**BATTERY:** SL-B50 protected Li-Ion USB battery pack  
**SIZE:** 4.92" x 1.46" x 2.56" (12.5 x 3.7 x 6.5 cm)  
**WEIGHT:** 10.48 oz. (297g)  
**COLOR:** Black

ITEM #	DESCRIPTION
89001	ProTac 2.0 Headlamp - Includes SL-B50 battery pack, USB-C cord, elastic and rubber straps
22111	SL-B50 battery pack - 1pk
22112	SL-B50 battery pack - 2pk
22084	USB-C Cord

**BANDIT®**



**Black Model:** White LED



WHITE LED	HIGH	LOW
<b>LUMENS:</b>	180	35
<b>RUN TIME:</b>	2h	9.5h
EMERGENCY FLASH - 180 LUMENS		



GREEN LED	HIGH	LOW
<b>LUMENS:</b>	135	25
<b>RUN TIME:</b>	3h	13.5h
RED LED	HIGH	LOW
<b>LUMENS:</b>	45	10
<b>RUN TIME:</b>	2.5h	10h

**Coyote Models:** White/Red LED  
White/Green LED

Ultra lightweight, weather-resistant headlamp provides 180 lumens of widespread light. It features a large button for easy actuation, and a lithium polymer USB rechargeable battery. A hat clip adapter lets you attach the light on the brim of your hat or to add additional downward adjustability.

**BATTERY:** Rechargeable lithium polymer  
**SIZE:** 2.7" x 0.75" x 1.13" (6.85 x 1.9 x 2.87cm)  
**WEIGHT:** 1.3 oz. (36.8g)  
**COLOR:** Black or Coyote

ITEM #	DESCRIPTION
61702	Bandit - Includes micro USB cord - Black
61706	Bandit - Includes micro USB cord - Coyote with Red LED
61707	Bandit - Includes micro USB cord - Coyote with Green LED
22070	40" (101 cm) micro USB Cord

# STREAMLIGHT MICROSTREAM//MACROSTREAM SERIES

## MICROSTREAM®

The MicroStream is a compact light, allowing you to discreetly carry it in your pocket or clip it to a hat for hands-free use.

**BATTERY:** (1) "AAA" Alkaline  
**SIZE:** 3.6" x 0.6" (9.15 x 1.5 cm)  
**WEIGHT:** 1.1 oz. (31.2g)  
**COLOR:** Black

<b>LUMENS:</b>	45
<b>CANDELA:</b>	420
<b>DISTANCE:</b>	41m
<b>RUN TIME:</b>	2.25h



ITEM #	NSN/MCN	DESCRIPTION
66318	6230-01-583-9046	MicroStream - Includes alkaline battery and lanyard

## MICROSTREAM® USB

	HIGH	LOW
<b>LUMENS:</b>	250	50
<b>CANDELA:</b>	1,150	250
<b>DISTANCE:</b>	68m	31m
<b>RUN TIME:</b>	1.5h	3.5h



The MicroStream USB is small enough for you to discreetly keep it in your pocket, or clip it to a hat for hands-free use. It's USB rechargeable so you can conveniently charge it via virtually any USB power source. To charge it, slide the head cover forward to expose the micro-USB port.



Sliding metal sleeve protects micro USB port

**BATTERY:** Lithium-ion  
**SIZE:** 3.87" x 0.61" (9.82 x 15.6 cm)  
**WEIGHT:** 1.2 oz. (34.1g)  
**COLOR:** Black or Coyote

ITEM #	DESCRIPTION
66601	MicroStream USB - Includes micro USB cord & lanyard - Clam - Black
66604	MicroStream USB - Includes micro USB cord & lanyard - Box - Black
66608	MicroStream USB - Includes micro USB cord & lanyard - Clam - Coyote
66609	MicroStream USB - Includes micro USB cord & lanyard - Box - Coyote
66607	Lithium-ion battery - MicroStream USB
22070	Micro USB cord 40" (101.6 cm)
22071	120V AC USB cord





THE MACROSTREAM USB  
**ULTRA-COMPACT SIZE**  
**MEETS UNPARALLELED**  
**PERFORMANCE**

**MACROSTREAM® USB**

High-powered ultra-compact lithium-ion battery powered flashlight. It fits in the palm of your hand or comfortably in your pocket and provides unparalleled performance for its size. Durable aluminum construction; IPX4-rated; water-resistant.

- BATTERY:** Lithium-ion
- SIZE:** 4.50" x 0.83" (11.43 x 2.1 cm)
- WEIGHT:** 2.2 oz. (62.4g)
- COLOR:** Black

	HIGH	LOW
<b>LUMENS:</b>	500	50
<b>CANDELA:</b>	2,000	220
<b>DISTANCE:</b>	90m	30m
<b>RUN TIME:</b>	2h	8h



Clip onto brim of hat for hands-free use

Metal sleeve protects charge port; slide sleeve forward to reveal charge port

ITEM #	DESCRIPTION
66320	MacroStream USB - Includes micro USB cord
66321	Lithium-ion battery - MacroStream USB
22070	40" (101 cm) Micro USB Cord
22071	120V AC USB cord

**STYLUS PRO® USB**

The Stylus Pro USB features a slim profile to fit in your pocket so you can take it with you wherever you go. Perfect for inspections, reading work orders or completing paperwork. IPX4-rated; water-resistant.

**BATTERY:** Lithium-ion  
**SIZE:** 5.95" x 0.63" (15.1 x 1.6 cm)  
**WEIGHT:** 1.8 oz. (51g)  
**COLOR:** Black

WHITE LED	HIGH	LOW
<b>LUMENS:</b>	350	90
<b>CANDELA:</b>	2,950	840
<b>DISTANCE:</b>	109m	58m
<b>RUN TIME:</b>	1.5h	3.5h



Sliding metal sleeve protects micro USB port



ITEM #	DESCRIPTION
66133	Stylus Pro USB - 120V AC with holster
66134	Stylus Pro USB - Includes Micro USB cord & holster
66029	Nylon holster
22070	Micro USB cord
22071	120V AC USB cord

**STYLUS PRO® USB UV**

The Stylus Pro USB UV features a 400nm UV LED that is ideal for HVAC leak detection, forensic investigations or identifying fraudulent documents.

**BATTERY:** Lithium-ion  
**SIZE:** 5.95" x 0.63" (15.1 x 1.6 cm)  
**WEIGHT:** 1.8 oz. (51g)  
**COLOR:** Black

400NM UV LED	
<b>OUTPUT:</b>	250mW
<b>RUN TIME:</b>	2.5h



Sliding metal sleeve protects micro USB port



ITEM #	DESCRIPTION
66148	Stylus Pro USB UV - 120V AC with holster
66149	Stylus Pro USB UV - Includes micro USB cord & holster

**STYLUS PRO®**

Compact size, durable construction and optimum beam output make this an ideal light for multiple tasks. Unbreakable lens. O-ring sealed. IPX4-rated; water-resistant. 1m impact-resistance tested. Removable pocket clip.

**BATTERY:** (2) "AAA" Alkaline  
**SIZE:** 5.3" x 0.6" (13.4 x 1.5 cm)  
**WEIGHT:** 1.64 oz. (46.9g)  
**COLOR:** Black

<b>LUMENS:</b>	100
<b>CANDELA:</b>	950
<b>DISTANCE:</b>	62m
<b>RUN TIME:</b>	8h



ITEM #	DESCRIPTION
66118	Stylus Pro - Includes (2) Alkaline batteries

## STYLUS®

This bright, long-running LED penlight has a long battery life, and goes anywhere you need it. IPX4-rated; water-resistant. Removable pocket clip.

**BATTERY:** (3) "AAAA" Alkaline  
**SIZE:** 6.21" x 0.375" (15.17 x 0.95 cm)  
**WEIGHT:** 1.1 oz. (31g)  
**COLOR:** Black

LED COLOR	WHITE
LUMENS:	11
CANDELA:	140
DISTANCE:	24m
RUN TIME:	24h



ITEM #	DESCRIPTION	COO	TAA
65018	Stylus - Black - White LED	US	YES
65030	AAAA Alkaline batteries - 6pk	---	---
65031	Glare Guard	---	---
65905	Nylon holster	---	---
72024	Lanyard with push-button slide	---	---

## STREAMLIGHT JR.® LED

This is a classic personal light featuring a 2 AA-sized aluminum body with non-slip knurled grip. It's brighter than most traditional 2 "AA" flashlights, and it also has good beam distance capability. It's small enough to fit easily on your belt or tuck into a tool box when you go out on inspections and perform repairs.

**BATTERY:** (2) "AA" Alkaline or lithium  
**SIZE:** 6.5" x 1" x 0.73" (16.51 x 2.54 x 1.85 cm)  
**WEIGHT:** 4.1 oz. (117g)  
**COLOR:** Black

LUMENS:	225
CANDELA:	2,700
DISTANCE:	104m
RUN TIME ALK:	6h
RUN TIME LITH:	10h



ITEM #	DESCRIPTION
71500	Streamlight Jr. LED with Alkaline batteries
71510	Magnetic Clip Holder
71503	Nylon holster
99075	Rubber helmet strap



# STREAMLIGHT POCKET LIGHT SERIES



## CLIPMATE® USB

This multi-function light clips to pocket or cap for hands-free use. Recharges by plugging into USB port or optional AC wall adaptor. IPX4-rated; water-resistant. 1 meter impact-resistance tested.

**BATTERY:** Lithium polymer cell  
**SIZE:** 3.2" x 1.39" x 0.65" (8.1 x 3.5 x 1.7 cm)  
**WEIGHT:** 1.9 oz. (53.8g)  
**COLOR:** Black



Flexible, extension cable targets the beam where you need it

Dual LEDs:  
 High-intensity white LED  
 Night vision red LED



WHITE LED	HIGH	LOW	RED LED	HIGH	LOW
<b>LUMENS:</b>	70	10	<b>LUMENS:</b>	.5	.2
<b>CANDELA:</b>	500	50	<b>CANDELA:</b>	9	3
<b>DISTANCE:</b>	44m	14m	<b>DISTANCE:</b>	6m	3m
<b>RUN TIME:</b>	3.5h	24h	<b>RUN TIME:</b>	16h	65h

ITEM #	DESCRIPTION
61125	Clipmate USB - Light only
61126	Clipmate USB - 120V AC
22058	120V AC Wall Adapter
61128	Clipmate USB Battery

## NANO LIGHT®

This tiny, weatherproof light has a non-rotating snap hook for easy one-handed operation when attached to a keychain.

**BATTERY:** (4) Alkaline button cell  
**SIZE:** 1.47" x 0.51" x 0.43" (3.73 x 1.3 x 1.09 cm)  
**WEIGHT:** 0.36 oz. (10g)  
**COLOR:** Black

ITEM #	DESCRIPTION
73001	Nano Light - Clam
61205	Coin cell batteries - 4 Pack

<b>LUMENS:</b>	10
<b>RUN TIME:</b>	8h



**POCKET MATE® USB**



	HIGH	LOW
<b>LUMENS:</b>	325	45
<b>CANDELA:</b>	1,450	200
<b>DISTANCE:</b>	76m	28m
<b>RUN TIME:</b>	20 min	1 h

The micro-USB rechargeable Pocket Mate is small in size but big on power - produces 325 lumens. Conveniently fits in your pocket and clips to your hat for hands-free use. Spring-loaded clip with carabiner shape hangs cleanly on key ring, zipper, etc. Recharges in four hours. IPX4-rated; weather-resistant.



Multi-function push-button switch with charger indicator LED:  
Red = charging; Green = charged



Pocket clip attaches to hat for hands-free use

**BATTERY:** Lithium polymer  
**SIZE:** 2" x 0.5" (5.1 x 1.27 cm)  
**WEIGHT:** 0.5 oz. (14.2g)  
**COLOR:** Silver, Red, Blue, Pink

ITEM #	DESCRIPTION
73300	Pocket Mate - Includes micro USB cord - Box - Silver
73301	Pocket Mate - Includes micro USB cord - Box - Red
73302	Pocket Mate - Includes micro USB cord - Box - Blue
73303	Pocket Mate - Includes micro USB cord - Box - Pink



Streamlight, Inc.  
30 Eagleville Road  
Eagleville, PA U.S.A. 19403-3996

streamlight.com // streamlightgear.com  
(800) 523-7488 Toll-Free  
(800) 220-7007 Fax  
(610) 631-0600  
(610) 631-0712 Fax

DISTRIBUTED BY:



The shape, style and appearance of the generally triangular feature on the head of the Stinger® Series is a trademark of Streamlight, Inc.



The silver band that encircles the head of the TLR® Series is a trademark of Streamlight, Inc.



NFPA



ISA

